

An exclusive distributor of all leading FR brands, including→



OUR PRODUCT. OUR PROMISE. OUR PROMISE. PURPOSE.

FLAME-RESISTANT APPAREL CATALOG

ELECTRIC UTILITY | NFPA® 70E | OIL & GAS





IN OUR WORLD, PREPARATION IS EVERYTHING.

WHAT PEOPLE DO BEFORE THEY WORK IS WHAT KEEPS THEM SAFE WHILE THEY WORK.
PREPARATION IS WHAT BRINGS THE CREW BACK HOME SAFELY AT THE END OF THE DAY.

IT IS WHY BULWARK® HAS PIONEERED AN INTELLIGENT APPROACH TO FR PROTECTION.

IT IS A "FARM-TO-FACTORY" OBSESSION THAT ENSURES WE KNOW THE SOURCE

OF EVERY FIBER THAT FORMS A GARMENT AND EXACTLY WHAT HAS HAPPENED TO IT

ON ITS JOURNEY FROM COTTON PLANT TO YARN TO FABRIC TO GARMENT.

BULWARK® IS MORE THAN THE BEST FLAME-RESISTANT CLOTHING AVAILABLE;

IT IS AN EFFORT TO WIN BATTLES BEFORE THEY ARE FOUGHT.

IT IS A BADGE ON A WORKER'S SLEEVE THAT HELPS HIM SLEEP AT NIGHT.

IT IS THE RESEARCH AND TECHNOLOGY WE UTILIZE IN THE NAME OF SAFETY

AND IT IS THE PASSION OF THOSE WHO WORK HERE.

WE ALL KNOW THIS WORLD IS FILLED WITH VARIABLES YOU CANNOT CONTROL.
THAT IS WHY YOU WORK SO HARD TO CONTROL THE ONES YOU CAN.

BULWARK® FR

distributed by

FRCClothingPlus.com 866-372-8834

TABLE OF CONTENTS

$^{\circ}$		_		\sim 1		_
/.	. FA	BB.	11 -	151		
		אוטו		υv	,,,	_

- 06 INDUSTRY LOOKS
- 12 REFLECTIVE STRIPING
- 14 SHIRTS
- **30** PANTS
- **34** BIBS
- **36** COVERALLS
- 41 DISPOSABLES
- **42** OUTERWEAR
- **52** COVERINGS
- 56 WOMEN'S
- **62** ACCESSORIES
- **66** CUSTOMIZATION
- **68** SIZE CHARTS
- **73** HOW TO MEASURE
- 74 ADDITIONAL INFO
- 75 INDEX

A SOLUTION FOR EVERY INDUSTRY

Use our fabric guide to help you select the optimal Bulwark® fabric for any situation. Our comprehensive range of industry-leading options guarantees a perfect fit for a wide variety of industrial applications.

EXCEL FR®

100% COTTON. 100% COMFORT. 100% FLAME-RESISTANT.

EXCEL FR® cotton garments offer unbeatable protection for foundries, flame cutting and welding, as well as electrical utilities and the chemical, oil, gas and petrochemical industries. All EXCEL FR® cotton apparel is permanently treated to guarantee flame resistance for the life of the garment.

EXCEL FR® COMFORTOUCH® COTTON'S COMFORT, NYLON'S DURABILITY.

This practical 88% Cotton/12% Nylon blend provides longlasting protection for nearly all work environments. Ideal applications include ferrous metals, electrical utilities and the chemical, oil, gas and petrochemical industries. Every EXCEL FR® ComforTouch® garment is engineered to provide flame resistance for the life of the garment.

NOMEX® IIIA LIGHTWEIGHT. BREATHABLE. INHERENTLY FLAME-RESISTANT.

DuPont Nomex® IIIA (93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber) garments are extremely durable, so they aren't damaged by laundering. Nomex® IIIA apparel is preferred by workers in petrochemical and refinery environments and makes a great choice for electric and gas utility workers.

COOLTOUCH® 2 DURABLE, WICKABLE, BLENDED INHERENT, HRC2.

CoolTouch® 2 garments provide flame-resistant protection in a lightweight blended fabric (48% Modacrylic/37% Lyocell/15% Para-Aramid and 45% Modacrylic/35% Lyocell/15% Polyamide/5% Para-Aramid). The result – unbeatable softness coupled with lasting durability and HRC 2 protection. Bulwark® Protective Apparel markets TenCate TECASAFE® PLUS fabric under the brand name "CoolTouch® 2."

FR HI-VISIBILITY FLAME-RESISTANT, COMFORTABLE, COMPLIANT,

Bulwark® offers garments designed to provide additional wearer safety during periods of limited visibility or in the often complex and varying backgrounds found in many occupations such as traffic control, construction and utility work along roadways and equipment operation.

HI-VISIBILITY RAINWEAR BE SAFE, BE DRY, BE SEEN.

Flame-resistant rainwear from Bulwark® provides an effective barrier against rain and wind. Extra confidence comes from knowing these garments will not melt, drip or burn when exposed to electrical arc or flash fire.

MOLTEN METAL® PROTECTION SHED MOLTEN ALUMINUM. CAST OFF CRYOLITE.

Because of its unique ability to shed molten aluminum as well as cryolite, specialized Molten Metal® Protective garments are used extensively throughout the aluminum casting industry. Our products are inherently flame-resistant, so their ability to protect will never be compromised by laundering.

FR DISPOSABLES PROTECT OTHER GARMENTS. PREVENT CONTAMINANT SOILING.

Sontara® Extend FR garments are water-repellent and made to withstand minor splashes without saturation to garments underneath. Use them to extend the life of more expensive thermal protective garments.

ELECTRICAL SWITCHING CLOTHING PROTECTION FOR MAXIMUM EXPOSURE.

For employees installing, maintaining or repairing highvoltage electrical systems, Bulwark®'s 40 cal/cm² electrical switching coat, bib and hood with face shield provide protection from extreme electrical arc risks.

ICON LEGEND

Throughout the catalog, you will notice different icons next to the product descriptions for our garments. The icons help you quickly determine new products, HRC protection, NPFA® 2112/UL®, ISO/EN certification and fit charts.



NEW PRODUCT FOR 2013



RLOT

Indicates that a product is available with retail packaging. Some R lots are color specific. Color specific R lots will have an Ricon listed below the color line with unique color codes ending in R. If packaging is needed on a color specific product, please use the unique R lot color code when ordering (example: SLU6CYR). Retail packaging includes hang tag with bar code on shirts, hang tag with bar code and size strip on coveralls, and waistband ticket and size strip on pants.



HRC 1 PROTECTION

Arc-rated FR shirt and FR pants or FR coverall with a required minimum ATPV of 4.



HRC 2 PROTECTION

Arc-rated FR shirt and FR pants or FR coverall with a required minimum ATPV of 8.



HRC 3 PROTECTION

Arc-rated FR shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum and a required minimum ATPV of 25.



HRC 4 PROTECTION

Arc-rated FR shirt and pants or FR coverall, and arc flash suit selected so that the system arc rating meets the required minimum and a required minimum ATPV of 40.



NFPA® 2112 / UL® CLASSIFIED

Bulwark® Protective Apparel offers flame-resistant protective garments that are certified by Underwriters Laboratories to meet the requirements of NFPA® 2112 Standard on Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2012 Edition. NFPA® 2113 Standard on Selection, Care, Use, and Maintenance of Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2012 Edition, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark® garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.



This Bulwark® FR collection has been designed according to the PPE Directive 89/686/EEC and specifically to the European Standards EN 340:2003 [General Requirements for protective clothing], EN ISO 11612: 2008 [Protective Clothing for Industrial workers exposed to heat and flame], EN 1149-5:2008 [Protective clothing - Electrostatic properties) and IEC 61482-2:2009 (Protective Clothing against the thermal hazards of an electric arc) to the below mentioned performance levels. ECType examination by a Notified Body has proven that the clothing meets the fundamental requirements as described in the European Directive 89/686/EEG. The CE mark is the visible sign of our compliant PPE.









EN 340:2003 - Protective clothing - General requirements				
PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM		
Innocuousness Design Comfort Ageing Sizes (body dimensions) Marking User info	Compliant	EN 34th 2003		

EN ISO 11612:2008 - Protective clothing against heat and flame				
PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM		
A = Limited flamespread (A1 =	A1			
surface ignition, A2 = edge ignition) B = Convective heat (class 1-3)	D4			
	B1	🔥		
C = Radiation heat (class 1-4)	C1	(💯)		
D = Molten aluminium (class 1-3)	D0	EN ISO 1 1612 2008		
E = Molten iron (class 1-3)	E0	A1,B1,C1		
F = Contact heat (class 1-3)	F0			
"0" means no protection offered				

IEC 61482-2:2009 - Live working - Protective Clothing against the thermal hazards of an electric arc				
PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM		
Arc thermal resistance on garment tested against: IEC 61482-1-1 ATPV method Min ATPV: 4 cal/cm² Arc current: 8 kA Voltage: 2000 V Distance to sample: 30 cms Duration: 0,05-1,5 sec IEC 614825-1-2 Box test method Class 1-4 kA or Class 2-7 kA	ATPV test method For individual ATPV ratings, see label sewn into garment	EC 61482-2 2009 ATPV = 41 GAL/CM ²		

EN 1149-5:2008 - Protective Clothing - Electrostatic properties, part 5: performance requirements.				
PERFORMANCE CLASSIFICATION	PERFORMANCE CLASSIFICATION	PICTOGRAM		
The material test has been carried out according to EN 1149-3:2004: Test method for measurement of charge decay. Half decay time T ₅₀ < 4 sec And/or shielding factor S > 0,2	Compliant	EN 1149-52008		

OIL & GAS INDUSTRY LOOKS

WHAT STANDARDS ARE USED FOR WORKERS EXPOSED TO FLASH FIRE HAZARDS?

The NFPA® 2112 Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against Flash Fire and its companion standard, NFPA® 2113 on Selection, Care, Use, and Maintenance of these garments specify design, performance, certification requirements, and test methods for flame-resistant garments for use in areas at risk from flash fires. Third party certification of garments is also required.

- In addition to third-party certifications of garments, flame resistance of each fabric layer is required to be tested as received and after 100 cycles of washing and drying and/or dry cleaning.
- The EN 1149-5:2008 is a series of standards for test methods and performance requirements on electrostatic properties of materials and garments. Protective clothing complying with Part 5 of this European Standard is intended to prevent the occurrence of electrostatic discharges that may cause ignition of an explosive atmosphere.
- Protective clothing complying with this International Standard (ISO 11612:2008) is intended to protect workers against contact with heat and flame. This clothing is suitable for a wide range of working environments where there is a need for clothing with limited flame spread properties in combination with protection against heat transmission (radiant, convective or contact heat and molten metal splashes).
- . The Heat Transfer Performance or HTP (formerly known as TPP) must be tested and a minimum HTP rating of 6.0 cal/cm² is required when testing is done in a "spaced" configuration and 3.0 cal/ cm2 when tested in "contact."
- Finally, coveralls made to a standard pattern from candidate fabrics are tested for overall flash fire exposure on an instrumented mannequin in accordance with ASTM Test Method F1930. The exposure heat flux is 84 kW/m2 (2.02 cal/cm2/sec) with an exposure time of 3.0 seconds. The average total predicted body burn must not exceed 50%.

NFPA® 2113 provides guidance in the selection and specification of flame-resistant garments, including workplace hazard assessment. Other sections cover use and care and maintenance recommendations.

Canadian General Standards Board (CGSB) CAN/CGSB 155.20, Workwear for Protection Against Hydrocarbon Flash Fire is the Canadian flash fire standard. The Canadian standard requires that flame resistance, heat resistance and thermal shrinkage be tested and that the garment label be in both English and French. For single layer garments, the TPP values for both spaced and contact tests must be reported on the garment label.



SHIRT | SND2TN | page 16 HENLEY | SML2NV | page 25 PANT | PNW 2NV | page 32



POLO | SMP8KH | page 27 LAB COAT | KNL6RB | page 53 PANT | PMW2NV | page 32



BASE LAYER | MPU8GY | page 29 COVERALL | CED2NV | page 39



BASE LAYER | MPU2 KH | page 29 COVERALL | CMD4RD | page 38

ELECTRIC UTILITY INDUSTRY LOOKS

WHAT STANDARDS ARE USED FOR ELECTRIC POWER GENERATION, TRANSMISSION AND DISTRIBUTION?

OSHA's Final Rule on Electrical Protective Equipment (OSHA® 1910.269) prohibits clothing that when exposed to flames or arcs, could increase the extent of wearer injury. Employers must determine appropriate clothing based on an evaluation of potential hazards in the work environment. Clothing made from flame-resistant materials is acceptable under the Rule; ie., clothing that meets the requirements of ASTM F1506. Untreated cotton or wool fabrics weighing at least 11.0 oz. are also acceptable under limited conditions identified by OSHA.

The National Electrical Safety Code (NESC®) is published by the IEEE. It sets the ground rules for practical safeguarding of persons during the installation, operation, or maintenance of electric supply and communication lines and associated equipment.

The NESC® requires that the employer determine potential exposure to an electric arc for employees who work on or near energized parts or equipment. If the exposure is greater than 2 cal/cm², employees are required to wear clothing with an arc rating not less than the anticipated level of arc energy as determined by tables in the standard or by choosing clothing with a minimum effective arc rating of 4 cal/cm². Certain meltable fabrics are not allowed.





SHIRT | SEL4BG | page 25 PANT | PEJ4DW | page 31



T-SHIRT | SMT4 NV | page 22 VEST | VMV8HV | page 55 PANT | PLJ8 NV | page 33



HENLEY | SEL2LB | page 25 SWEATSHIRT | SEH2NV | page 51 PANT | PLJ8BD | page 33

NFPA® 70E / MANUFACTURING

INDUSTRY LOOKS

WHAT ARE THE ELECTRICAL SAFETY REQUIRMENTS FOR THE WORKPLACE?

National Fire Protection Association (NFPA®) Standard 70E, Standard for Electrical Safety in the Workplace addresses electrical safety requirements for activities such as operation, repair or demolition of exposed energized electrical conductors or circuit parts. Virtually all aspects of workplace electrical safety. recognizing hazards associated with the use of electrical energy, and taking precautions so that hazards do not cause injury or death are included.

Total system arc rating of layered ensembles must be determined by a multilayer arc test on the combination of all the layers assembled as they would be worn, rather than adding the arc ratings of the individual layers. The standard allows nonmelting, flammable fiber garments to be used as undergarments for added protection, but if PPE is selected using Table 130.7(C)(16) in the standard, all layers used to determine the total system arc rating must be flame-resistant.

Garments complying to this standard (IEC 61482-2) guarantee that the consequences of exposure to an electric arc will not be aggravated by the clothing itself. This standard addresses both the design of the garment and the materials used in manufacture.

Protective clothing complying with this International Standard (ISO 11612:2008) is intended to protect workers against contact with heat and flame. This clothing is suitable for a wide range of working environments where there is a need for clothing with limited flame spread properties in combination with protection against heat transmission (radiant, convective or contact heat and molten metal splashes).

Under NFPA® 70E employers must document and implement an overall electrical safety program that includes a hazard risk evaluation and job briefing procedures. This program must be audited annually. If energized electrical conductor or circuit parts operating at 50 volts or more are not placed in an electrically safe work condition, written authorization by work permit is required. Employees must be qualified to do the work and trained to understand the specific hazards and potential injury associated with electrical energy. Employees exposed to shock hazards must be retrained annually in cardiopulmonary resuscitation.

Employers must conduct both shock and flash hazard analysis to establish a flash protection boundary. When work will be performed within the arc flash protection boundary, the employer must document the incident energy exposure in calories per square centimeter. Arc rated clothing conforming to the requirements of ASTM F1506 and appropriate PPE must be worn either based on the incident energy determined for the specific task or by using NFPA® 70E Table 130(C)(16) to determine the hazard/risk category.

Canadian Standards Association Standard Z462-08, Workplace Electrical Safety is the Canadian standard for electrical workplace safety. Garments meeting the requirements of NFPA® 70E also meet the requirements specified in CSA Z462-08, Section 4.3.7, Z462 PPE requirements are currently essentially identical to the 2012 Edition of NFPA® 70E. Future plans are to modify Z462 for Canadian requirements.



HENLEY | SML2GY | page 25 SWEATSHIRT | SMZ6NV | page 50 PANT | PMU2NV | page 33



HENLEY | SML2KH | page 25 SHIRT | SLG8RK | page 19 PANT | PMW2NV | page 32



SHIRT | SML2GY | page 25 LAB COAT | KLL6NV | page 53 PANT | PMU2NV | page 33



POLO | SMP8NV | page 27 PANT | PEW2CH | page 32

REFLECTIVE TRIM STRIPING OPTIONS

ENHANCED VISIBILITY

Enhanced visibility can be critical when working in high-traffic areas or around equipment operations, or in an environment where it is crucial to be seen. Adding striping to your uniform can make a life-saving difference. Select from the many trim options, colors and placements to make your enhancements have the highest impact. These distinctive striping's can be added to most Bulwark® garments. Flame-resistant striping is also available. The garments and striping you select should depend on the end use requirements.

The following is an example of how a plain stocked garment can be customized with 3 of our most popular striping configurations. With a few exceptions, stripes shown above the waist can be applied to a shirt, jacket or coverall. Stripes shown below the waist can be applied to a pant or coverall. The specific details of a garment, like the size of a pocket, the placement of closures, an emblem or an additional pocket, may dictate a slight change in the placement from what is shown in these images. Striping applied post-manufacturing will always go around a pocket or emblem. Pockets cannot be removed for reflective trim application. Striped on a waistband will be moved up or down if the waistband has elastic sections.



PLAIN COVERALL

BASE LAYER | MPU8GY | page 29 COVERALL | CED2NV | page 39



NOR NORDIC STRIPE

BASE LAYER | MPU8GY | page 29 COVERALL | CED2NV | page 39



D35 STRIPE

BASE LAYER | MPU8GY | page 29 COVERALL | CED2NV | page 39



D50 STRIPE

BASELAYER | MPU8GY | page 29 COVERALL | CED2NV | page 39

28 STYLES | 18 COLORS



BULWARK® OFFERS THE LARGEST SELECTION OF FLAME-RESISTANT SHIRTS IN A VARIETY OF STYLES, FABRICS AND COLORS. IT IS THE MOST COMPREHENSIVE LINE OF FLAME-RESISTANT UNIFORMS AVAILABLE.





From \$61.99

SMU4 - Men's (Reg) S-3XL. (Long) L-2XL. Full side seam gusset.

Fabric: Flame-resistant, 5.8 oz. (200 g/m²) 48% Modacrylic/37% Lyocell/15% Para-Aramid Protection: Arc Rating ATPV 6.5 calories/cm² Colors: Grey (GY), Khaki (KH), Light Blue (LB)

From \$50.99

B | STRIPED UNIFORM SHIRT 📤 🕒 🖃 🗓

SEU2 - Men's (Reg) S-3XL. (Long) M-2XL

Fabric: Flame-resistant, 7 oz. [235 g/m²] 100% Cotton Protection: Arc Rating ATPV 6.3 calories/cm²

Colors: White/Blue Stripe (WB)

(WBR)

From \$102.99

C | 6 OZ. UNIFORM SHIRT

SND6 - Men's (Reg) S-3XL. (Long) M-2XL. 📤 🕒 🐨

Fa bric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber

93% Nomex** Aramid/5% Kevlar** Aramid/2% Uther Hi Protection: Arc Rating ATPV 5.6 calories/cm²

Colors: Royal Blue (RB)

SLUB - Men's (Reg) S-3XL. (Long) L-2XL. 👍 🔾 🍽 🗓 🕭 🛧 Full side seam gusset.

Fabric: Flame-resistant, 6 oz. (205 g/m²)

88% Cotton/12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm²

Colors: Grey (GY), Khaki (KH), Light Blue (LB), Navy (NV), Orange (OR)

GYR] (KHR) (LBR) (NVR) (ORR)

From \$50.99

From \$59.99

D | 5.5 OZ. UNIFORM SHIRT 📤 🕒 🖃 🗓

SLU6 - Men's (Reg) M-3XL. (Long) L-2XL. Full side seam gusset.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²)

88% Cotton/12% Nylon

Protection: Arc Rating ATPV 6.9 calories/cm2

Colors: Chambray (CY)

Û (CYR)

From \$83.99

E | 4.5 OZ. UNIFORM SHIRT

SND2 - Men's Long Sleeve (Reg) S-3XL. (Long) M-2XL.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 4.1 calories/cm³ Colors: Gulf Blue (GB), Navy (NV), Royal Blue (RB), Tan (TN)

O (TNR)

From \$84.99

F | SNAP-FRONT UNIFORM SHIRT

SNS2 - Men's (Reg) S-3XL. (Long) M-2XL. 🔛 📤 😉 🔳

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 4.1 calories/cm²

Colors: Royal Blue (RB), Tan (TN)

SES2 - Men's (Reg) S-3XL. (Long) M-2XL. 🕒 😇 🗓

Fabric: Flame-resistant, 7 oz. [235 g/m²] 100% Cotton Protection: Arc Rating ATPV 7.7 calories/cm²

Colors: Royal Blue (RB), Tan (TN)

☐ (RBR) (TNR)

From \$57.99

SIZE CHARTS ON PAGE 69-70

CYChambray	GB Gulf Blue	GY Grey	KH Khaki	LB Light Blue
MV Navy	OR Orange	RB Royal Blue	TN Tan	WB White/Blue Str

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

UNIFORM SHIRTS | BANDED, TOPSTITCHED COLLAR. TOPSTITCHED CUFFS WITH ADJUSTABLE BUTTON CLOSURE. TAILORED SLEEVE PLACKET.



DRESS UNIFORM SHIRTS

BANDED, BUTTON-DOWN COLLAR. CUFFS WITH BUTTON CLOSURE. BUTTON-FRONT PLACKET



7 OZ. DRESS UNIFORM SHIRT \$\overline{A}\$ \$\overline{A}\$ \$\overline{A}\$\$ \$\overline{A}\$\$

SLU2 - Men's (Reg) S-3XL. (Long) M-2XL. (Î) From \$50.99
Full side seam gusset.

Fa bric: Flame-resistant, 7 oz. [235 g/m²] 88% Cotton/12% Mylon Protection: Arc Rating ATPV 8.6 calories/cm² Colors: Khaki (KH), Light Blue (LB), Navy (NV), Royal Blue (RB), Silver Grey (SY)

(LBR)

SMU2 (shown left) - Men's (Reg) S-3XL. (Long) M-2XL. From \$61.99
Full side seam gusset

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic/ 37% Lyocell/15% Para-Aramid Pro tection: Arc Rating ATPV 9.0 calories/cm²

Colors: Khaki (KH), Light Blue (LB)

SMU2 - Men's (Reg) S-3XL. (Long) M-2XL. From \$61.99
Full side seam gusset.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic/ 35% Lyocell/15% Polyamide-imide/5% Para-Aramid Protection: Arc Rating ATPV 10.1 calories/cm²

Colors: Navy (NV)

DRESS SHIRTS

BANDED, BUTTON-DOWN COLLAR. CUFFS WITH BUTTON CLOSURE, BUTTON-FRONT PLACKET.

A | 6.5 OZ. PLAID DRESS SHIRT 🚕 🗐 🗓



SLG8 - Men's (Reg) S-3XL. (Long) M-3XL. From \$58.99

Full side seam gusset.

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) 88%

Cotton/12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm2

Colors: Red/Navy (RN), Navy/Khaki (NK), Hunter/Navy (HN), Red/Khaki (RK)

B | 7 OZ. DENIM DRESS SHIRT 🚕 🗉 🕅



SEG2 - Men's (Reg) S-3XL. (Long) M-2XL. From \$53.99

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton Protection: Arc Rating ATPV 8.1 calories/cm²

Colors: Light Denim Blue (LD)

C | 5.25 OZ. DRESS SHIRT 📤 🖃




SEG6 - Men's (Reg) S-3XL. (Long) M-2XL. From \$48.99

Fabric: Flame-resistant, 5.25 oz. (180 g/m2) 100% Cotton

Protection: Arc Rating ATPV 5.5 calories/cm2 Colors: Khaki (KH), Light Blue (LB), Navy (NV)

SIZE CHARTS ON PAGE 69-70



Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).



C | SEGNICH



HI-VISIBILITY FLAME-RESISTANT WORK SHIRT 🔡 🚕 🙎 😉 💿 🗓

SMW4 - Men's (Reg) M-3XL. (Long) M-3XL. From \$96.99

360° visibility with front and back 2° flame-resistant silver reflective striping. Button-front closure.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic/37% Lyocell/15% Para-Aramid Protection: Arc Rating ATPV 9.0 calories/cm²

Flame-resistant ANSI 107-2010 Class 2 Level 2 Compliant

Color: Yellow/Green (HV)

Û (HVR)

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported



WORK SHIRTS

TWO-PIECE, LINED COLLAR. HEMMED FRONT WITH BUTTON CLOSURE, SLEEVE VENT.

A | 7 OZ. WORK SHIRT (1)

SEW2 - Men's (Reg) S-3XL. (Long) M-2XL. A D A

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton Protection: Arc Rating ATPV 7.7 calories/cm2

Colors: Khaki (KH), Light Blue (LB), Navy (NV), Silver Grey (SY)

(KHR) From \$40.99

SLW2 - Men's (Reg) S-3XL. (Long) M-3XL. 🜃 🚕 🕟 会 Full side seam gusset.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton/12% Nylon Protection: Arc Rating ATPV 8.6 calories/cm2

Colors: Khaki (KH), Light Blue (LB), Navy (NV) From \$46.99

B | CONCEALED-GRIPPER POCKETLESS WORK SHIRT \$\overline{A}\$ \$\overline{A}\$ \$\overline{A}\$ \$\overline{A}\$

SLS2 - Men's (Reg) S-3XL. (Long) M-2XL.

Lined ouffs. Concealed gripper closures. Full side seam gusset.

Fabric: Flame-resistant, 7 oz. [235 g/m2] 88% Cotton/12% Nylon Protection: Arc Rating ATPV 8.6 calories/cm2

Color: Light Blue (LB) From \$44.99

C | MOLTEN METAL® WORK SHIRT 🚕 🔒 🗐

SAW2 - Men's (Reg) S-2XL. (Long) M-2XL.

Lined ouffs with button closures. Special sleeve with gore. Special application only. Combine with work pant PAW2NV on page 32.

Fabric: Flame-resistant, 7.5 oz. (255 g/m²) Twill, 50% FR Rayon/40% Wool/10% Nylon

Protection: Arc Rating ATPV 6.2 calories/cm2

Color: Chambray (CHB)* Call for Price

*Delivery may take up to 6-8 weeks.

KH Khaki SY Silver Grev

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

KNITS VERSATILE. COMFORTABLE.

A | TAGLESS T-SHIRTS

SET8 - Men's Short Sleeve (Reg) S-4XL. (Long) L-2XL. 📤 🔘

Rib knit crewneck-style collar and hemmed sleeves. Tagless brand label and warning label.

Fabric: Flame-resistant, 6.25 oz. (210 g/m²) Interlock FR, 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²

Colors: Grey (GY), Navy (NV), Orange (OR) From \$39.99 Sizes vary by color. Visit bulwark.com for a complete size listing.

SET2 - Men's Long Sleeve (Reg) S-4XL. 🔬 🗐 🗓 Rib knit cuffs.

Color: Grey (GY) From \$41.99

(GYR)

Made in U.S.A. or Imported

B | LONG SLEEVE TAGLESS T-SHIRT @ 🚕 🗩



SMT4 - Men's (Reg) S-5XL.

Self-fabric crew neck collar. Tagless. Raglan sleeves. Full side seam gusset. Fabric is moisture wicking, breathable

Fabric: Flame-resistant, 8.75 oz. (300 g/m²) 70% Modacrylic/15% FR Lenzing/15% Rayon Protection: Arc Rating ATPV 8.1 calories/cm2

Color: Naw (NV) From \$80.99 Made in U.S.A.

C | TAGLESS MOCK TURTLENECK 🚕 🗩 🗓



SEK2 - Men's (Reg) S-4XL. (Long) L-2XL.

Double-layer, rib knit collar sized to protect the neck. Rib knit cuffs. Tagless brand label and warning label.

Fabric: Flame-resistant, 6.25 oz. (210 g/m²) Interlock FR, 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm2

Color: Naw (NV) From \$56.99

Ď (NVR)

Made in U.S.A. or Imported

SIZE CHARTS ON PAGE 69-70









KNITS VERSATILE. COMFORTABLE.







D I COLOR-BLOCKTAGLESS
HE NLEY I NEW

A | LONG SLEEVE HENLEY SHIRT 🚥 🖼 📤 🗈 📾 🗓

SML2 - Men's [Req] M-3XL. From \$80.99

Three-button placket. Dyed to match rib knit henley collar and cuffs. Raglan sleeves. Spade style chest pocket. Fabric is moisture wicking and breathable

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) 45% Modacrylic/ 35% Lyocell./20% Para-aramid

Protection: Arc Rating E., 8.2 calories/cm2 Colors: Grey (GY), Khaki (KH), Navy (NV)

B | HENLEY SHIRTS 📤 🕮 🗐







SNL8 - Men's Short Sleeve (Reg) M-3XL. From \$81.99 SNL2 - Men's Long Sleeve (Reg) M-3XL. From \$95.99

Fabric: Flame-resistant, 6.2 oz. [210 g/m²] Jersey Knit, 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 5.2 calories/cm²

Color: Tan (TN)

C | LONG SLEEVE TAGLESS HENLEY SHIRT 🚕 🗩 🗓

SEL2 - Men's (Reg) S-4XL. (Long) L-2XL. From \$55.99

Three-button placket. Knithenley collar. Rib knit cuffs. Tagless brand label and warning label.

Fabric: Flame-resistant, 6.25 oz. [210 g/m²] Interlock FR,

Protection: Arc Rating ATPV 9.6 calories/cm2

Colors: Grey (GY), Khaki (KH), Light Blue (LB),

Navy (NV), Orange (OR)

D | LONG SLEEVE COLOR-BLOCKED TAGLESS HENLEY SHIRT 🚭 🚕 🖃 🗓







SEL4 - Men's Long Sleeve [Reg] M-3XL. From \$58.99
Three-button placket. Dyed to match rib knit henley collar and cuffs. Contrast raglan sleeves. Spade style chest pocket.

Fabric: Flame-resistant, 6.25 oz. [210 g/m²] Interlock FR, 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²

Colors: Blue/Grey (BG), Naw/Khaki (NK)

SIZE CHARTS ON PAGE 69-70

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported



FR POLOS | THREE-BUTTON PLACKET. RIB KNIT, POLO-STYLE COLLAR. SLEEVE OR CHEST POCKET. RIB KNIT SLEEVE CUFFS OR WELTS.





Navy with Khaki Trim (NK)

SNK8 - Men's Short Sleeve (Reg) M-3XL. From \$81.99

Colors: Naw with Khaki Trim (NK), Navy/Khaki Stripe (NT)

SIZE CHARTS ON PAGE 69-70

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported





BASE LAYERS

SELF-FABRIC CREW NECK COLLAR. TAGLESS. RAGLAN SLEEVES. HEATSEAL BULWARK® TRIANGLE CENTERED AT NECK TO SHOW WEARER HAS ON FR UNDERGARMENT.

FR TWO-TONED BASE LAYER 📤 🍽



Contrast mesh full side seam gusset.

MPU4 - Men's Short Sleeve (Reg) S-5XL. From \$41.99

Fabric: Flame-resistant, 5.5 oz. [185 g/m²] 90% Cotton/ 10% Polyester with moisture management finish Protection: Arc Rating ATPV 6.4 calories/cm2

Color: Grey (GY)

MPU8 - Men's Long Sleeve (Reg) S-5XL. Trom \$45.99



Color: Grey (GY)

FR BASE LAYER 📤 🎟 🗓

MPU2 - Men's (Reg) S-5XL. From \$36.99

Full side seam gusset.

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 100% Cotton Protection: Arc Rating ATPV 4.0 calories/cm²

Color: Khaki (KH) Ů (KHR)

SIZE CHARTS ON PAGE 69-70

ALL PRODUCT ON SPREAD | Made in U.S.A.





CHOOSE YOUR FIT. FIVE JEAN-STYLE POCKETS. TWO-NEEDLE FELLED SEAM CONSTRUCTION.

A | STRAIGHT FIT

This new straight fit sits just below the natural waist and has a straight thigh and leg opening that will fit over work boots.

B | CLASSIC FIT

This traditional fit sits at the natural waist and has a slimmer leg opening that will fit over work boots.

C | RELAXED FIT

This fit sits at the natural waist and has a relaxed seat and thigh for comfortable movement.

D | LOOSE FIT

This fit sits slightly below the natural waist and has a loose seat and thigh with a wider leg opening than the classic fit.



E | DUNGAREE WITH LOOSE FIT

This fit sits just below the natural waist and has a loose seat and thigh with a wider leg opening.



Please Note: Colors vary for each garment. Reference the two letter

color code for available color(s).

A | STRAIGHT FIT SANDED DENIM JEAN 🚕 🕒 🖃 🗓

PEJM - Men's 28-50 Even. From \$50.99

One-piece waistband with metal button closure (metal is not exposed to the skin). New, soft pre-wash and sanded fabric for modern and comfortable look.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Pre-washed Cotton Denim Protection: Arc Rating ATPV 18.0 calories/cm²

Color: Sanded Denim (SD)

(SDR)

B | CLASSIC FIT PRE-WASHED DENIM JEAN ■ 🖴 🕒 🖻 🛈 🐼 🕾

PEJ4 - Men's 28, 30-36, 38-50 Even. From \$48.99

Soft pre-wash for comfort and look.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-washed Cotton Denim

Protection: Arc Rating ATPV 20.7 calories/cm²

Color: Blue Denim (DW)

(DWR)

C | RELAXED FIT DENIM JEAN I A C C C

PEJ2 - Men's 28-50 Even. From \$42.99

One-piece waistband with button closure.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Cotton Indigo Denim

Protection: Arc Rating ATPV 18.0 calories/cm²

Color: Dark Denim (DD)

(DDR)

D | LOOSE FIT STONE-WASHED DENIM JEAN 🖽 🚕 🕒 🎟 🗓 🐼 🚓

PEJ6 - Men's 28, 30-36, 38-50 Even. From \$48.99

Soft pre-wash and stone-washed fabric for comfort and look.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-washed Cotton Denim Protection: Arc Rating ATPV 20.7 calories/cm²

Color: Stonewash (SW)

(ISWR)

E | PRE-WASHED DENIM DUNGAREE A C C C

PEJ8 - Men's 28-50 Even. From \$55.99

Two deep scoop pockets. Two oversized reinforced hip pockets. Rule pocket on right leg with wrap around utility pocket. Soft pre-wash for comfort and look.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Cotton Denim Protection: Arc Rating ATPV 20.7 calories/cm²

Colors: Blue Denim (DW), Stonewash (SW)

(DWR) (SWR)

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported



WORK PANTS

WAISTBAND WITH BUTTON CLOSURE, TWO SLACK-STYLE FRONT POCKETS, LEFT HIP POCKET WITH BUTTON CLOSURE.

PNW2 - Men's 28-34, 36-50 Even. III 📤 🚯 🕦 🖾 🗗

PEW2 - Men's 28-36, 38-52 Even. III AA (□) (□) (□) AA

Fabric: Flame-resistant, 6 oz. [250 g/m²] 93% Nomex® Aramid/5% Keylar® Aramid/2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm2

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Colors: Navy (NV), Royal Blue (RB) From \$89.99

Protection: Arc Rating ATPV 10.6 calories/cm² Colors: Charcoal (CH), Khaki (KH), Navy (NV),

Visual Green (VG)

PMW2 - Men's 28-50 Even. \$\vec{\mathbb{H}} \text{ (1) (1) (2) (2)}\$

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic/ 35% Lyocell/15% Polyamide-imide/5% Para-Aramid Protection: Arc Rating ATPV 10.1 calories/cm2

Colors: Navy (NV) From \$57.99

PMW4 - Men's 28-50 Even. W A (1) (1) (2) (2)

Fabric (Khaki): Flame-resistant, 5.8 oz. [200 g/m²] 48% Modacrylic / 37% Lyocell / 15% Para-Aramid

Fabric (Navy): Flame-resistant, 5.8 oz. (200 g/m²) 45% Modacrylic/35% Lyocell/15% Polyamide-imide/ 5% Para-Aramid

Protection (Khaki): Arc Rating ATPV 6.5 calories/cm2 Protection (Navy): Arc Rating ATPV 5.7 calories/cm2

Colors: Khaki (KH), Naw (NV) From \$56.99

(NVR) From \$44.99

PLW2 - Men's 28-56. 🛗 🚕 🗈 🝙 🗓 🐼 🚓

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton/12% Nylon

Protection: Arc Rating ATPV 12.2 calories/cm2

Colors: Naw (NV) (NVR) [NVR From \$50.99

PAW2 - Men's 28-44 Even. (A) (B) (C)

Special molten metal application only. Combine with work shirt SAW2CH on page 21.

Fabric: Flame-resistant, 10 oz. (340 g/m²) Twill, 50% FR Rayon/40% Wool/10% Nylon Protection: Arc Rating ATPV 7.2 calories/cm2

Colors: Naw (NVB)* Call for Price

ALL PRODUCT ON SPREAD | Made in U.S. A. or Imported

*Delivery may take up to 6-8 weeks.

A | DUNGAREES | PLJ8



BD BROWN DUCK

OL OLIVE DUCK



A | DUNGAREE BB A B B B





PLJ8 - Men's 28-50 Even. From \$56.99

Five jean-style pockets. Rule pocket and utility pocket on right leg. Hammer loop and utility pocket on left leg. Trip le-needle felled outseam.

Fabric: Flame-resistant, 11.5 oz. (390 g/m²) 88% Cotton/

12% Nylon, Water-repellent

Protection: Arc Rating ATPV 14.6 calories/cm2

Colors: Brown Duck (BD), Navy Duck (NV), Olive Duck (OL)

(BDR) (NVR) (OLR)

B | JEAN-STYLE PANTS

One-piece waistband with button closure. Five jean-style pockets. Two-needle felled seam construction.

PEJ2 - Men's 28-50 Even, A D From \$45.99



Fabric: Flame-resistant, 9 oz. (305 g/m2) Twill, 100% Cotton

Protection: Arc Rating ATPV 10.6 calories/cm2

Color: Naw (NV)

PNJ8 - Men's 28-50 Even. 📤 🕸 🕡 From \$103.99



Fabric: Flame-resistant, 7.5 oz. (255 q/m²) Twill, 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 6.7 calories/cm2

Colors: Royal Blue (RB)

C | 7 OZ. COOLTOUCH® 2 CARGO POCKET PANT 圖 🚕 ① 🕅 🗓 🗛

PMU2 - Men's 28-36, 38-52 Even. From \$66.99

Waistband with hook-and-bar closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

Fabric: Flame-resistant, 7 oz. [235 g/m²] 45% Modacrylic/ 35% Lyocell/15% Polyamide Imide/5% Para-Aramid Protection: Arc Rating ATPV 10.1 calories/cm2

Color: Navy (NV) □ (NVR)

SIZE CHARTS ON PAGE 72

MV. NAVY DUCK





C | BLF8W

BIB OVERALLS

DELUXE INSULATED BIB OVERALLS

Reinforced double knees. Full, Nomex® taped, ankle-to-hip brass zippers with concealed snap closure. Elasticized shoulder straps with non-conductive adjustable hardware.

A | DELUXE INSULATED BIB OVERALL 🙈

BNN2 - Men's (Reg) S-3XL. (Long) M-2XL. ()

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) 93% Nomex® aramid/5% Kevlar®/

2% Other fiber/Water-repellent

Insulation Package: 14.2 oz. (480 g/m²)

Lining: 100% Meta-aramid Insulation: 100% Aramid

Protection: Arc Rating E., 62.0 calories/cm2

Colors: Navy (NV) From \$339.99

BLC8 - Men's (Reg) S-3XL. (Long) L-2XL. ()

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 88% Cotton/12% Nylon/Water-repellent

Insulation Package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 43.3 calories/cm2

Colors: Naw (NV)

(NVR) From \$211.99

BLN4 - Men's (Reg) S-3XL. (Long) L-2XL. (Long)

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m2) 88% Cotton/12% Nylon/Water-repellent

Insulation Package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 56.6 calories/cm2 Color: Brown Duck (BD) From \$241.99

B | DELUXE INSULATED BIB OVERALL WITH REFLECTIVE TRIM 🙈

BNNT (shown) - Men's (Reg) S-3XL. (Long) M-2XL. (III)

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) 93% Nomex® aramid/ 5% Kevlar®/2% Other fiber / Water-repellent Insulation Package: 14.2 oz. (480 g/m²)

Lining: 100% Meta-aramid Insulation: 100% Aramid

Protection: Arc Rating E_ 62.0 calories/cm²

Color: Royal Blue (RB). Stocked in Canada only. From \$352.99

BLCT - Men's (Reg) S-3XL. (Long) M-2XL. (Line) (Line) Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 88% Cotto n/12% Nylon/Water-repellent

Insulation Package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 43.3 calories/cm²

Color: Naw (NV). Stocked in Canada only. Î [NVR] From \$223.99

C | DUCK UNLINED BIB OVERALL 🚕 🕒 🎟





BLFB - Men's (Reg) M-3XL. (Long) L-2XL.

Adjustable elasticized shoulder straps with non-conductive, heavy-duty release buckles. Two set-in swing pockets, watch pocket, two large hip pockets, hammer loop, tool pocket and double tool pocket. Reinforced double knees.

Fabric: Flame-resistant, 11.5 oz. (390 g/m²) Duck, 88% Cotton/12% Nylon, Water-repellent Protection: Arc Rating ATPV 14.6 calories/cm2

Colors: Brown Duck (BD), Navy Duck (NV) From \$114.99

D | UNLINED BIB OVERALL (A) (B) (III)



BNF8 - Men's (Reg) M-3XL. (Long) L-XL.

Covered elastic straps. Non-conductive, heavy-duty release buckle. One large front bib pocket with pencil stall.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid/5% Keylar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 5.6 calories/cm²

Color: Royal Blue [RB] From \$135.99

SIZE CHARTS ON PAGE 72

D | BMF8R8

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

PREMIUM COVERALLS

MANDARIN-STYLE, STAND-UP, TWO-WAY SAFETY COLLAR. CONCEALED SNAP CLOSURE ON CUFF, DEEP-PLEATED ACTION BACK.

CLB6 - Men's (Reg.) 38-58. (Long.) 42-58.



Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill.

88% Cotton/12% Nylon

Protection: Arc Rating ATPV 12.2 calories/cm2

Colors: Khaki (KH), Navy (NV), Royal Blue (RB) From \$92.99

Sizes vary by color, Visit bulwark.com for a complete size listing.

CEB2 - Men's (Reg.) 38-60. (Long) 42-58.



Fabric: Flame-resistant, 9 oz. (305 q/m2) Twill, 100% Cotton Protection: Arc Rating ATPV 10.6 calories/cm2

Colors: Khaki (KH), Medium Grey (GY), Navy (NV), Red (RD), Royal Blue (RB)

Sizes vary by color. Visit bulwark.com for a complete size listing.

(KHR) (GYR) (NVR) (RDR) (RBR) From \$83.99

CLB2 - Men's (Reg) 38-58. (Long) 42-58. IIII 🚕 🕒 🗩 🗗

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton/12% Nylon

Protection: Arc Rating ATPV 8.6 calories/cm2

Colors: Khaki (KH), Navy (NV), Royal Blue (RB) From \$86.99

CNB6 - Men's (Reg) 38-58. (Long) 40-58. (Short) 38-48 RB only.



Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid/ 5% Kevlar® Aramid/2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm2

Colors: Navy (NV), Orange* (OR), Royal Blue (RB) From \$159.99

Sizes vary by color. Visit bulwark.com for a complete size listing. * CNB60R is stocked in Canada only

CNB2 - Men's (Reg) 38-54. (Long) 42-52.



Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber

Protection: Arc Rating ATPV 4.1 calories/cm2

Colors: Navy (NV), Royal Blue (RB), Tan (TN)

Sizes vary by color. Visit bulwark.com for a complete size listing.

(NVR) (RBR) (TNR) From \$137.99

ALL PRODUCTON SPREAD | Made in U.S.A. or Imported

TN Tan

OR Orange

RD Red

KH Khaki

MV Navy

GY Medium Grey

RB Royal Blue



A | PREMIUM INSULATED COVERALLS A

CLC8 - Men's (Reg) S-3XL. (Long) L-2XL. (L) (L) From \$254.99



Knit Nomex[®] storm ouff within hemmed sleeve end with hook-and-loop suppression tabs. Full, Nomex® taped, ankle-to-hip brass zippers. Accommodates snap-on hood HLH2NV and HLH2RB, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) 88% Cotton/12% Nylon/Water-repellent

Insulation Package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 43.3 calories/cm2

Colors: Navy (NV) Ď (NVR)

CNN2 - Men's (Reg) S-3XL. (Long) M-2XL. (I) (III) From \$433.99

Accommodates snap-on hood HNH2NV and HNH2RB, sold separately.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) 93% Nomex® aramid/5% Keylar®/

2% Other fiber/Water-repellent

Insulation Package: 14.2 oz. (480 g/m²)

Lining: 100% Meta-aramid Insulation: 100% Aramid

Protection: Arc Rating E, 62.0 calories/cm2

Colors: Navy (NV)

B | 9 OZ. PREMIUM COVERALL WITH CSA REFLECTIVE TRIM

CLBC - Men's (Reg) 38-58. (Long) 44-58. From \$133.99

360° visibility with front and back 2" yellow/silver/yellow reflective striping. Reflective striping is CSA Compliant.

Fabric: Flame-resistant, 9 oz. (305 g/m²) 88% Cotton/12% Nylon

Protection: Arc Rating ATPV 12.2 calories/cm2 Color: Navy (NV), Orange (OR). Stocked in Canada only.

C | PREMIUM COVERALLS WITH REFLECTIVE TRIM

CNBT - Men's (Reg) 38-60. (Long) 40-60. (A) (III) From \$185.99

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid/

5% Keylar® Aramid /2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm2

Colors: Red* (RD), Royal Blue (RB)

Sizes vary by color. Visit bulwark.com for a complete size listing. * CNBTRD stocked in Carada only.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton/12% Nylon

Protection: Arc Rating ATPV 12.2 calories/cm2

Color: Royal Blue (RB)





DELUXE COVERALLS

ONE PIECE, TOP STITICHED, LAY-FLAT COLLAR. TWO-WAY, CONCEALED, NOMEX® TAPED, BRASS BREAK-AWAY ZIPPER WITH CONCEALED SNAP AT TOP OF ZIPPER AND AT NECK, CONCEALED SNAP CLOSURE ON CUFF, DEEP-PLEATED ACTION BACK.

CED2 - Men's (Reg.) 38-64. (Long) 42-58. 🛗 🚕 🕦 🍙 🗓 🐼 🗟 Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton Protection: Arc Rating ATPV 10.6 calories/cm² Colors: Khaki (KH), Navy (NV), Orange (OR), Royal Blue (RB)

(KHR) (NVR) (ORR) (RBR) From \$67.99

CMD6 - Men's (Reg) 38-58. (Long) 42-58. IIII 🚕 🕒 🗩 🗟

Fabric: Flame-resistant, 7 oz. (235 g/m²) 48% Modacrylic/ 37% Lyoce IL/15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm2

Color: Khaki (KH) From \$106.99

CMD6 - Men's (Reg) 38-58. (Long) 42-58. 🚟 🚕 🗈 🗩 🛧

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic/ 35% Lyocell/15% Polyamide Imide/5% Para-Aramid Protection: Arc Rating ATPV 10.0 calories/cm²

Color: Navy (NV) From \$106.99

CLD4 - Men's (Reg) 34-58. (Long) 42-58. 🛗 🚕 🕦 🖨 🗓 🗗

Two angled chest pockets with flaps that conceal zipper closures.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 88% Cotton/12% Nylon Protection: Arc Rating ATPV 8.7 calories/cm2

Colors: Grey (GY), Khaki (KH), Navy (NV), Red (RD) NEW,

Royal Blue (RB) From \$75.99

SIZE CHARTS ON PAGE 70

GY Grey	KH Khaki	MV Navy	
OR Orange	RD Red	RB Royal Blue	

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).



CLASSIC COVERALLS

TWO-WAY, CONCEALED, NOMEX® TAPED, BRASS BREAK-AWAY ZIPPER. ONE-PIECE, TOPSTITCHED, LAY-FLAT COLLAR. HEMMED SLEEVES.

CEC2 - Men's (Reg) 38-64. (Long) 42-60. 🚮 📤 🗈 🔘 🗖 🕭 合

Fabric: Flame-resistant, 9 oz. (305 g/m²) 100% Cotton

Protection: Arc Rating ATPV 10.6 calories/cm²

Colors: Khaki (KH), Navy (NV), Orange (DR), Royal Blue (RB)

ours. Maki (Mi), Navy (NV), Orange (ON), Noyat blue (

(KHR) (NVR) (ORR) (RBR) From \$55.99

Sizes vary by color. Wsit bulwark.com for a complete size listing

Hemmed sleeve ends. Deep-pleated action back. Bartacked pocket flaps.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton Protection: Arc Rating ATPV 10.6 calories/cm²

Color: Navy (NV) From \$73.99

CEW2 - Men's (Reg.) S-4XL. (Long.) S-2XL. (Long.) S

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton Protection: Arc Rating ATPV 10.6 calories/cm²

Color: Visual Green (VG) From \$72.99

CNC2 - Men's (Reg) 38-58. (Long) 42-58.

Fabric: Flame-resistant, 4.5 oz. [150 g/m²] 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber

Protection: Arc Rating ATPV 4.1 calories/cm²

Colors: Navy (NV), Royal Blue (RB), Tan (TN)

(NVR) (RBR) (TNR) From \$112.99

SIZE CHARTS ON PAGE 70

KH Khaki WY Navy OR Orange
RB Royal Blue TN Tan VGVisual Green

Please Note: Colors vary for each garment. Reference the two letter color code for available color/s l.

ALL PRODUCTON SPREAD | Made in U.S.A. or Imported



A | CLASSIC COVERALL WITH

CECT - Men's (Reg) 42-56.

One-piece, to pstitched, lay-flat collar. Two-way concealed Nomex¹⁰ taped brass break-away zipper, concealed snap at top of zipper neck. Hemmed sleeves. Two set-in front pockets. One chest pocket. Two patch hip pockets. Side vent openings. 360° visibility with front and back 2" yellow/silver/yellow reflective striping. Fabric: Flame-resistant, 9 oz. (305 g/m²) 100% Cotton Protection: Arc Rating ATPV 10.6 calories/cm2 Colors: Navy (NV), Royal Blue (RB) From \$90.99

DISPOSABLES

THESE LIMITED-USE DISPOSABLE GARMENTS ARE NOT DESIGNED AS A PRIMARY SOURCE OF THERMAL PROTECTION AND MUST BE WORN OVER SUITABLE FLAME-RESISTANT CLOTHING.



866-372-8834







TEAM JACKETS

TEAM JACKETS 📤

Separating, heavy-duty, Nomex® taped, brass zipper. Rib-knit collar, ouff and waistband. Two large, inset, welted-slash pockets. Left sleeve pocket.

JET2 - Men's (Reg) S-3XL. (Long) L-XL. (Long) From \$117.99

Fabric: Flame-resistant

Shell: 9 oz. (305 g/m²) Twill/100% Cotton Insulation package: 10.2 oz. (345 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 52.0 calories/cm2

Color: Naw (NV)

JNT2 - Men's (Reg) S-3XL. (Long) L-XL. (1) (10) From \$173.99

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m²) 93% Nomex® aramid/5% Kevlar®/2% Other fiber

Insulation package: 9.3 oz. (315 g/m²)

Lining: 100% Meta-aramid Insulation: 100% Aramid

Protection: Arc Rating E., 57.8 calories/cm2

Color: Naw (NV)

ZIP-IN / ZIP-OUT JACKETS & LINERS

ZIP-IN / ZIP-OUT JACKETS

Separating, heavy-duty, Nomex® taped, brass zipper. Two-piece, lined collar with center stays. Two-piece, adjustable cuff. Banded waist with button-close tabs. Two large inset, welted-slash pockets. Left sleeve pocket.

JEW2 - Men's (Reg) S-3XL. (Long) L-2XL. 🚕 🕒 🕡 From \$68.99

Accommodates LML2 zip-in sleeved liner, sold separately.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 10.6 calories/cm2

When worn with LML2 ensemble, Arc Rating is ATPV 61.3 calories/cm²

Color: Navy (NV)

ZIP-IN / ZIP-OUT LINER

LML2 - Men's (Reg) S-3XL. (Long) L-2XL. (Long) From \$71.99

Zips into JEWZ. Visit bulwark.com for fabric and protection details.

Color: Grey (GY)

SIZE CHARTS ON PAGE 69-70



PARKAS KNIT NOMEX® STORM CUFF WITHIN HEMMED SLEEVE END WITH HOOK-AND-LOOP SUPPRESSION TABS. INTERNAL SNOW BELT.

A | PARKAS WITH RELFECTIVE TRIM 🙈

Knit Nomex® storm cuff within hemmed sleeve end with hook-and-loop suppression tabs. Internal snow belt. 360° visibility with front and back 2" yellow/silver/yellow refelctive striping.

JLPT - Men's (Reg) S-4XL. (Long) L-4XL. (Long) From \$214.99

Accommodates snap-on hood HLH2RB, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. [235 g/m²] Twill/88% Cotton/12% Nylon/Water-repellent

Insulation package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 43.3 calories/cm2 Colors: Royal Blue (RB). Stocked in Canada only.

JNPT (shown) - Men's (Reg) S-4XL. (Long) S-4XL. (II) (III) From \$336.99

Accommodates snap-on hood HNH2RB, sold separately.

Fabric: Flame-resistant

Shell: 6 oz. (205 g/m2) 93% Nomex® aramind/5% Kevlar®/2% Other fiber

Insulation package: 14.2 oz. (480 g/m²)

Lining: 100% Meta-aramid Insulation: 100% Aramid

Protection: Arc Rating E., 62.0 calories/cm2 Colors: Royal Blue (RB). Stocked in Canada only



BACK VIEW OF JMPT/JLPT

B I PARKAS A n

JLP8 - Men's (Reg) S-3XL. (Long) L-2XL. (Long) From \$192.99

Accommodates snap-on hoods HLH2NV and HLH2RB.

sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m²) Twill/88% Cotton/12% Nylon/Water-repellent

Insulation package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 43.3 calories/cm2

Colors: Navy (NV) (NVR)

JNP2 (shown) - Men's (Reg) S-3XL. (Long) M-2XL. (19 10 From \$313.99)

Accommodates snap-on hoods HN H2 NV and HNH2RB, sold separately.

Fabric: Flame-resistant

Shell: 6 oz. [205 g/m2] 93% Nomex® aramind/5% Kevlar®/2% Other fiber

Insulation package: 14.2 oz. (480 g/m²)

Lining: 100% Meta-aramid Insulation: 100% Aramid

Protection: Arc Rating E,, 62.0 calories/cm²

Colors: Navy (NV), Royal Blue (RB)

C | UNIVERSAL FIT SNAP-ON HOOD 🙈



Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Visit bulwark.com for fabric and protection details.

HNH2 (shown) - Men's One size. (B) (F) \$50.99 Snaps to CNN2, JNP2, JNPT, JNJ8 and JNJT, sold separately.

Colors: Naw (NV), Royal Blue (RB)

HLH2 - Men's One size. (L) (m) (2) \$38.99

Snaps to JLJ8, JLR8, JLP8, JLPC, JLPT and CLC8, sold separately.

Colors: Naw (NV), Royal Blue (RB)

(NVR) [RBR]

D | PARKA WITH CSA COMPLIANT

JLPC (shown) - Men's (Reg) S-4XL. (Long) L-4XL. From \$210.99

Accommodates snap-on hood HLH2NV, sold separately.

Fabric: Flame-resistant

Shell: 7 oz. (235 g/m2) Twill/88% Cotton/12% Nylon/Water-repellent

Insulation package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 43.3 calories/cm2

Colors: Navy (NV). Stocked in Careda only.

D [NVR]



BACK VIEW OF JLPC

SIZE CHARTS ON PAGE 69-70



BOMBER **JACKETS**

SEPARATING, HEAVY-DUTY, NOMEX® TAPED, BRASS ZIPPER FULLY COVERED WITH TWO-LAYER STORM FLAP AND CONCEALED SNAP CLOSURE. TWO-LAYER, STAND-UP COLLAR, CONCEALED SNAP CLOSURE ON CUFF, TWO LARGE EXTERNAL PATCH POCKETS WITH CONCEALED SNAP CLOSURE WITH HAND WARMERS. ONE INSIDE CHEST POCKET. DEEP-PLEATED ACTION BACK.

A | LINED BOMBER JACKET WITH REFLECTIVE TRIM 🚕 🕮 🗩

JNJT - Men's (Reg) S-4XL. (Long) M-4XL. From \$196.99

Deep-pleated action back. 360° visibility with front and back 2° yellow/silver/yellow reflctive striping. Accommodates snap-on hoods HNH2RB and liners LNL2, LML6, LNS2 and LMS6. sold separately.

Fabric: Outershell - Flame-resistant, 6 oz. [205 g/m²] 93% Nomex® Aramid/5% Keylar® Aramid/2% Other Fiber. Water-repellent

Lining - Flame-resistant, 3.2 oz. (110 g/m²) 93% Nomex® Aramid/5% Kevlar®Aramid/2% Other Fiber Protection: Arc Rating ATPV 12.6 calories/cm2

Colors: Royal Blue [RB]. Stocked in Canada only.

B | INSULATED BOMBER JACKET 📤 🔍 🔍 🗓



JLR8 - Men's (Reg) S-3XL. (Long) L-2XL. From \$170.99

Knit Nomex ostorm cuff within hemmed sleeve end. Deep-pleated action back, Accommodates snap-on hood HLH2NV and HLH2RB, sold separately.

Fabric: Flame-resistant

Shell: 7 az. (235 g/m²) Twill/88% Cotton/12% Nylon/

Water-repellent

Insulation package: 12 oz. (405 g/m²)

Lining: 100% Cotton Insulation: 100% Modacrylic

Protection: Arc Rating ATPV 43.3 calories/cm2

Colors: Navy (NV), Royal Blue* (RBB)

iĝi (NVR)

* Allow 6-8 weeks for delivery.

C | BROWN DUCK LINED BOMBER JACKET 🚕 🕒 🗐 🗓



JLB8 - Men's (Reg) S-3XL. (Long) L-2XL. From \$152.99

Flame-resistant, lay-flat collar. Accommodates snap-on hood HLH2BD and liners LNL2, LM L6, LLS2, LNS2, and LMS6, sold separately.

Fabric: Shell - Flame-resistant, 11.5 oz. (390 g/m²) Duck.

88% Cotton/12% Nylon, Water-repellent

Lining - Flame-resistant, 7 oz. [235 g/m²] 100% Cotton Sanded

Protection: Arc Rating ATPV 35.0 calories/cm2

Colors: Brown Duck (BD)

C (BDR)



D | LINED BOMBER JACKETS

JNJ8 - Men's (Reg) S-3XL. (Long) L-2XL. 🔬 📵 🕡

Accommodates snap-on hoods HNH2NV and HNH2RB and liners LNL2, LML6, LNS2 and LMS6, sold separately. From \$177.99

Fabric: Shell - Flame-resistant, 6 oz. (205 g/m2) 93% Nomex® Aramid/5% Keylar® Aramid/2% Other Fiber, Water-repellent

Lining - Flame-resistant, 3.2 oz. (110 g/m²) 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 12.6 calories/cm²

Colors: Naw (NV)

JLJ8 - Men's [Reg] S-3XL. [Long] M-2XL. 🚕 🗈 🔘 🗟 🛧 From \$133.99

Accommodates snap-on hoods HLH2NV and HLH2RB and liners LNL2, LML6, LNS2 and LMS6, sold separately.

Fabric: Shell - Flame-resistant, 7 oz. (235 g/m²) Twill, 88% Cotton/ 12% Nylon, Water-repellent

Lining - Flame-resistant, 7 oz. (235 g/m²) 100% Cotton Protection: Arc Rating ATPV 30.4 calories/cm2

Colors: Naw (NV)

E | FLEECE JACKET LINERS 🚕 🗐 From \$108.99




LMS6 - VEST LINER - Men's (Reg) S-3XL. (Long) M-2XL. LML6 - SLEEVED LINER - Men's (Reg) S-3XL. (Long) M-2XL. From \$160.99

Shown left with JLJ8NV.

Snaps into JLB8, JLJ8, JNJT and JNJ8 jackets, sold separately. Visit bulwark.com for fabric and protection details.

Colors: Navy (NV)

F | JACKET LINERS 🚕 🕮 🗯



LNL2 - SLEEVED LINER - Men's (Reg) S-3XL. (Long) M-2XL. From \$134.99

Snaps into JLB8, JLJ8, JNJT and JNJ8 jackets, sold separately. Visit bulwark.com for fabric and protection details.

Colors: Naw (NV)

SIZE CHARTS ON PAGE 69-70

ALL PRODUCT ON SPREAD Made in U.S. A or Imported



A | BROWN DUCK LINEMAN'S JACKET 🚕 🗓 🗐 🗓

JLC4 - Men's (Reg) S-3XL. (Long) L-2XL. From \$159.99

Concealed, snap-front, storm flap closure. Lanyard access opening on center back, accommodates safety harness. Accommodates snap-on hood HLH2BD and vest jacket liner LLS2BD, sold separately.

Fabric: Shell - Flame-resistant, 11.5 oz. (390 g/m²) Duck, 88% Cotton/12% Nylon, Water-repellent Lining - Flame-resistant, 6.5 oz. (220 g/m²) 70% Nomex®/30% Lenzing FR®

Protection: Arc Rating ATPV 46.3 calories/cm2

Colors: Brown Duck (BD)

© (BDR)

B | BROWN DUCK VEST JACKET LINER 📤 🗓 🗓 🗓

LLS2 - Men's (Reg) S-3XL. (Long) L-2XL. From \$79.99 Snaps into JLC4BD and JLB8BD jackets. Visit bulwark.com for fabric and protection details.

Colors: Brown Duck (BD)

Ü (BDR)

C | UNIVERSAL FIT SNAP-ON HOOD 📤 🕒 🖃 🗓

HLH2 - Men's One size. \$41.99

Hook-and-loop closure at front neck. Drawstring around face opening. Sized to fit over hard hat. Snaps to JLB8 and JLC4, sold separately. Visit bulwark.com for fabric and protection details.

Colors: Brown Duck (BD)

(BDR)

D | BROWN DUCK HOODED JACKET 🚕 🕒 🐨 🗓

JLH4 - Men's (Reg) S-4XL. (Long) L-2XL. From \$157.99

Permanently attached hood with adjustable drawcord. Lanyard access opening on center back, accommodates safety harness. Two front pouch-style pockets with reinforced bartacks.

Fabric: Shell - Flame-resistant, 11.5 oz (390 g/m²) Duck, 88% Cotton/12% Nylon, Water-repellent

Lining - Flame-resistant, 7 oz. [235 g/m2] 100% Cotton Sanded

Protection: Arc Rating ATPV 35.0 calories/cm2

Colors: Brown Duck (BD)

Œ (BDR)

SIZE CHARTS ON PAGE 69-70

ALL PRODUCTON SPREAD | Made in U.S.A. or Imported

BROWN DUCK JACKETS





SWEAT SHIRTS

A | ZIP-FRONT HOODED Fleece sweatshirt 🚕 🖨 🗅

SEH6 - Men's (Reg) S-5XL. (Long) M-5XL. From \$133.99

Hood with drawstring closure. Zipper front. Elastic waist.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Brushed Fleece

Protection: Arc Rating ATPV 18.0 calories/cm²

Colors: Navy (NV), Orange (OR)

□ (NVR) (ORR)

SEH6 - Men's (Reg) S-5XL. (Long) M-5XL. (1) From \$133.99

Fabric: Flame-resistant, 13 oz. [440 g/m²] 94% Cotton/6% Polyester Brushed Fleece Protection: Arc Rating ATPV 20.0 calories/cm²

Color: Grey (GY)

B | 1/4 ZIP-FRONT MODACRYLIC FLEECE SWEATSHIRT A B

SMZ6 - Men's (Reg) S-5XL. From \$180.99

Inset chest pocket with zipper closure. Side seam pockets with zipper closure. Hemmed sleeve and bottom opening. Adjustable waist toggles concealed inside waistband. Raglan sleeve. Brushed fleece on both sides.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 70% Modacrylic/30% Rayon Protection: Arc Rating E.,. 11.5 calories/cm²

Color: Navy (NV)

SIZE CHARTS ON PAGE 69

GY Grey MV Navy OR Orange

Please Note: Colors vary for each garment. Reference the two letter color code for available color(s).

ALL PRODUCT ON PAGE | Made in U.S.A. or Imported









A | PULLOVER HOODED FLEECE SWEATSHIRT @ 64 @

SEH2NV - Men's (Reg) S-3XL. (Long) M-3XL. From \$133.99

Two-ply hood with drawstring closure and 1/4 zip-front. Rib knit cuff and waistband. Side seam pockets. Raglan sleeve.

Fabric: Flame-resistant, 13 oz. [440 g/m²] 100% Cotton brushed fleece

Protection: Arc Rating ATPV 18.0 calories/cm²

Color: Navy (NV) Made in U.S.A.

B | ZIP-FRONT HOODED FLEECE SWEATSHIRT 🚕 🗩

SMH6 - Men's (Reg) S-3XL. (Long) M-3XL. From \$175.99

Single-ply hood with drawstring closure. Zipper front. Hemmed sleeves with elastic waist. Two patch pockets. Brushed fleece on

Fabric: Flame-resistant, 8 oz. (270 g/m²) 65% Modacrylic/ 23% Nomex® IIIA/10% Kevlar® Aramid/2% Carbon Protection: Arc Rating E., 22.2 calories/cm²

Color: Naw (NV) Made in U.S.A.

C | CREWNECK FLEECE SWEATSHIRT A PROPERTY PROPERTY IN THE CONTRACTOR OF THE CONTRACT



SEC4 - Men's (Reg) S-5XL. (Long) L-XL. From \$109.99

Rib knit cuff, neck and waistband. Plain front. Roomy, comfortable fit.

Fabric: Flame-resistant, 13 oz. (440 g/m²) 100% Cotton Brushed Fleece Protection: Arc Rating ATPV 18.0 calories/cm2

Color: Navy (NV) Made in U.S.A. or Imported

D | PULLOVER HOODED FLEECE SWEATSHIRT A

SMH2 - Men's (Reg) S-3XL. (Long) M-3XL. From \$202.99

Two-ply hood with drawstring closure. Rib knit cuff and waistband. Kangaroo pouch pocket.

Fabric: Flame-resistant, 11 oz. (375 g/m²) 65% Modacrylic/ 23% Nomex® IIIA/10% Kevlar® Aramid/2% Carbon

Protection: Arc Rating E, 15.9 calories/cm2

Color: Navy (NV) Made in U.S.A.

COVERINGS



LAB COATS

KEL2 - Men's (Reg) XS-3XL. A □ □ ⊙ △ A

Eabric: Flame, resistant 7 oz (235 n/m²) 100% C

Fabric: Flame-resistant, 7 oz. [235 g/m²] 100% Cotton Protection: Arc Rating ATPV 7.7 calories/cm²

Color: Light Blue (LB) From \$45.99



WORK COAT 🖽 📤 🗈 🗩

KEW2 - Men's (Reg) S-3XL.

Concealed gripper-front closure. Hemmed gored sleeves, concealed gripper take up. No exposed metal.

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Cotton

Protection: Arc Rating ATPV 10.6 calories/cm²

Color: Visual Green (VG) From \$36.99

SIZE CHARTS ON PAGE 69

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported



CONCEALED SNAP-FRONT LAB COAT 🚭 🔠 🚕 🗈 🐨







KLL6 - Men's (Reg) S-2XL. From \$64.99

Concealed snap-front closure. Lapel collar. Hemmed sleeve ends with concealed adjustable snaps. Side vent openings. One chest pocket and two front hip pockets.

Fabric: Flame-resistant, 6 oz. [205 g/m²] 88% Cotton/12% Nylon Protection: Arc Rating ATPV 8.7 calories/cm²

Color: Navy (NV)

CONCEALED SNAP-FRONT LAB COAT 🚭 🖼 📤 🗵 🔳







KNL6 - Men's [Reg] S-2XL. From \$135.99

Concealed snap-front closure. Lapel collar. Hemmed sleeve ends with concealed adjustable snaps. Side vent openings. One chest pocket and two front hip pockets.

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber

Protection: Arc Rating ATPV 5.6 calories/cm2

Color: Royal Blue (RB)



RAIN GEAR

A | HI-VISIBILITY FLAME-RESISTANT RAIN JACKETS

Non-conductive durable hardware, 360° visibility. Vented back with "D" ring access. Two patch pockets with flaps. Take-up tabs on cuffs. Waterproof.

JXN4 (shown) - Men's (Reg) S-3XL. A . From \$366.99

Front and back 2 * reflective striping. Attached drawstring hood.

Fabric: 10 oz. (340 g/m²) FR Polyurethane moisture barrier with an FR cotton weft knit fabric

Protection: Arc Rating ATPV 19.0 calories/cm2 EBTAS 28 calories/cm²

ANSI 107-2010 Class 3 Level 2. Meets ASTM F 1891-06 arc and Flameresistant specifications, Meets ASTM F 2733-09 Flash fire specifications.

Color: Yellow/Green (YE)

JXN2 - Men's (Reg) S-3XL. A . From \$156.99

11/2" reflective striping. Tuck away roll-up hood.

Fabric: Flame-resistant, 9.5 oz. (325 g/m²) PVC/Kevlar®/Nomex® Protection: Arc Rating ATPV 6.8 calories/cm2 EBTAS 33 calories/cm²

ANSI 107-2010 Class 2 Level 2 (Class 3 Level 2 when worn with BXN2YEL Meets ASTM F 1891-06 arc and Flame-resistant specifications.

Color: Yellow/Green (YE)

B | HI-VISIBILITY FLAME-RESISTANT RAIN BIB OVERALL

Non-conductive durable hardware, 360° visibility. Elasticized shoulder straps with non-conductive adjustable hardware. Take-up tabs at ankles. Waterproof.

BXN 4 (shown) - Men's (Reg) S-3XL. A From \$230.99



Front and back 2" reflective striping.

Fabric: 10 oz. (340 g/m²) FR Polyurethane moisture barrier with an FR cotton weft knit fabric

Protection: Arc Rating ATPV 19.0 calories/cm2 EBTAS 28 calories/cm²

ANSI 107-2010 Class E (Class 3 Level 2 when worn with JXN4YE). Meets ASTM F 1891-06 arc and Flame-resistant specifications. Meets ASTM F 2733-09 Flash fire specifications.

Color: Yellow/Green (YE)

BXN2 - Men's (Reg) S-3XL. A From \$119.99

11/2" reflective striping.

Fabric: Flame-resistant, 9.5 oz. (325 g/m2) PVC/Kevlar®/Nomex® Protection: Arc Rating ATPV 6.8 calories/cm2 EBTAS 33 calories/cm2

ANSI 107-2010 Class E (Class 3 Level 2 when worn with JXN2YE). Meets ASTM F 1891-06 arc and Flame-resistant specifications.

Color: Yellow/Green YE)

SIZE CHARTS ON PAGE 71

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported







DRESS UNIFORM SHIRTS

BANDED, TOPSTITCHED COLLAR. CUFFS WITH BUTTON CLOSURE. BUTTON-FRONT PLACKET.

7 OZ. DRESS UNIFORM SHIRTS 🖼 🚕 🗈 🗩





Full side seam guss et.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic/ 35% Lyocell/15% Polyamide Imide/5% Para-Aramid Protection: Arc Rating ATPV 10.1 calories/cm2

Color: Navy (NVB)*

Fabric: Flame-resistant, 7 oz. 48% Modacrylic/

37% Lyocell/15% Para-Aramid

Protection: Arc Rating ATPV 9.0 calories/cm2

Colors: Khaki (KHB)*, Light Blue (LB)

(LBR) From \$61.99

Fabric: Flame-resistant, 7 oz. (235 g/m²) 88% Cotton/12% Nylon Protection: Arc Rating ATPV 8.6 calories/cm2

Colors: Khaki (KH), Light Blue (LBB)*, Naw (NVB)*, Royal Blue (RBB)*, Silver Grey (SYB)*

Ä [KHR] From \$50.99

*Delivery may take up to 4-6 weeks. Sizes vary by color.

SYB Silver Grey

KH Khaki

LBB Light Blue

RBB Royal Blue

Please Note: Colors vary for each garment. Reference the two or three letter color code for available color(s).





UNIFORM SHIRTS

BANDED, TOPSTITCHED COLLAR. TOPSTITCHED CUFFS WITH ADJUSTABLE BUTTON CLOSURES. PLACKET FRONT WITH BUTTON CLOSURE, TAILORED SLEEVE PLACKET.

A | STRIPED UNIFORM SHIRT 📤 🗈 🐨

SEU3 - Women's (Reg) S-3XL. From \$50.99

Fabric: Flame-resistant, 7 oz. (235 g/m²) 100% Cotton Protection: Arc Rating ATPV 6.3 calories/cm²

Color: White/Blue Stripe (WBB)*

SIZE CHARTS ON PAGE 68

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported

DRESS SHIRTS

BANDED, TOPSTITCHED COLLAR, CUFFS WITH BUTTON CLOSURE. BUTTON-FRONT PLACKET.

B | 6.5 OZ. PLAID DRESS SHIRT 🚕 🗩 🗓



SLG9 - Women's (Reg) XS-3XL. From \$58.99 Full side seam gusset.

Fabric: Flame-resistant, 6.5 oz. (220 g/m²) 88% Catton/12% Nylon

Protection: Arc Rating ATPV 8.7 calories/cm2

Colors: Red/Navy (RNB)*, Navy/Khaki (NKB)*, Hunter/Navy (HNB)*, Red/Khaki (RKB)*

HNB RKB Hunter/Navy Red/Khaki

C | 5.25 OZ. DRESS SHIRT 📤 🗐



SEG5 - Women's (Reg) S-3XL. From \$48.99

Fabric: Flame-resistant, 5.25 oz. (180 g/m²) 100% Cotton Protection: Arc Rating ATPV 5.5 calories/cm2

Colors: Khaki (KHB)*, Light Blue (LBB)*, Navy (NVB)*

*Delivery may take up to 4-6 weeks.

Please Note: Colors vary for each garment. Reference the two or three letter color code for available color(s).

FRCClothingPlus.com | 57 866-372-8834

KNITS VERSATILE. COMFORTABLE.

LONG SLEEVE TAGLESS HENLEY SHIRT 🚕 🖃 🗓

SEL3 - Women's (Reg) S-XL. From \$55.99

Three-button placket. Knit henley collar. Rib-knit cuffs. Tagless brand label and warning label.

Fabric: Flame-resistant, 6.25 oz. (210 g/m²) Interlock FR 100% Cotton

Protection: Arc Rating ATPV 9.6 calories/cm²

Color: Navy (NV)



JEANS CHOOSE YOUR FIT.

A | STRAIGHT FIT SANDED DENIM JEAN 🚕 🕒 🕮 🗓



PEJW - Women's 4-24. From \$59.99

One-piece waistband with metal button closure (metal is not exposed to the skin). New, soft pre-wash and sanded fabric for modern and comfortable look.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 100% Pre-washed

Cotton Denim

Protection: Arc Rating ATPV 18.0 calories/cm²

Color: Sanded Denim (SD)

(ISDR)

B | CLASSIC FIT PRE-WASHED DENIM JEAN



PEJ3 - Women's 4-24, From \$48.99

Soft pre-wash for comfort and look.

Fabric: Flame-resistant, 14.75 oz. (500 g/m²) 100% Pre-washed

Cotton Denim

Protection: Arc Rating ATPV 20.7 calories/cm2

Color: Blue Denim (DW)

(DWR)

C | CURVY FIT DENIM BLEND JEAN 🚭 🚕 🕒 📾 🛱





PMJ5 - Women's 4-24. From \$53.99

One-piece waistband with metal button closure (metal is not exposed to the skin). Five jean style pockets. Two-needle felled seam construction. New denim blend fabric for durability and comfort. New curvy fit sits a little below the natural waist. It has a defined waist with room in the hips and seat that allow for curves.

Fabric: Flame-resistant, 12.5 oz. (425 g/m²) 70% Cotton/ 30% Modacrylic

Protection: Arc Rating E_{or} 13.0 calories/cm²

Color: Dark Denim (DD)

SIZE CHARTS ON PAGE 68

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported



A | STRAIGHT FIT

This new straight fit sits just below the natural waist and has a straight thigh and leg opening that will fit over work boots.

B | CLASSIC FIT

This traditional fit sits at the natural waist and has a slimmer leg opening that will fit over work boots.

C | CURVY FIT

This new curvy fit sits a little below the natural waist. It has a defined waist with room in the hips and seat that allow for curves.

866-372-8834



WORK PANTS

WAISTBAND WITH BUTTON CLOSURE. TWO SLACK-STYLE FRONT POCKETS. LEFT HIP POCKET WITH BUTTON CLOSURE.

PMW3 - Women's 4-24. IIII AA ® ® A







Fabric: Flame-resistant, 7 cz. (235 g/m²) 45% Modacrylic/ 35% Lyocell/15% Polyamide Imide/5% Para-Aramid Protection: Arc Rating ATPV 10.1 calories/cm2

Color: Navy (NV) From \$57.99

PNW3 - Women's 4-74. # 4 @ @ 4 A

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid/5% Keylar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 5.6 calories/cm2

Colors: Navy (NVB)*, Royal Blue (RBB)* From \$89.99

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Catton/12% Nylon

Protection: Arc Rating ATPV 12.2 calories/cm2

Colors: Khaki (KHB)*, Navy (NVB)* From \$50.99

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 100% Catton

Protection: Arc Rating ATPV 10.6 calories/cm2

Colors: Khaki* (KHB), Navy (NV) From \$44.99

*Delivery may take up to 4-6 weeks.

SIZE CHARTS ON PAGE 68

7 OZ. COOLTOUCH® 2 CARGO POCKET PANT I A B B B B A

PMU3 - Women's 4-24

Waistband with button closure. Two utility pockets. Left cargo pocket has two snap closures. Right utility pocket is open.

Fabric: Flame-resistant, 7 oz. (235 g/m²) 45% Modacrylic/35% Lyocell/15% Polyamide Imide/5% Para-Aramid

Protection: Arc Rating ATPV 10.1 calories/cm2

Color: Navy (NV) From \$66.99





PREMIUM COVERALLS

MANDARIN-STYLE, STAND-UP, TWO-WAY SAFETY COLLAR, CONCEALED SNAP CLOSURE ON CUFF, DEEP-PLEATED ACTION BACK.

CNB3 - Women's (Reg) XS-2XL. (Long) XS-2XL. From \$137.99 (Short) XXS-ZXL M A @ D D A

Fabric: Flame-resistant, 4.5 oz. (150 g/m²) 93% Nomex® Aramid/5% Keylar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 4.1 calories/cm²

Colors: Navy (NV), Orange (ORB)*, Royal Blue (RBB)*,

Tan (TNB)*

CLB7 - Women's (Reg) XS-2XL, (Long) XS-2XL, From \$92.99 (Short) XS-2XL. III A @ I

Fabric: Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton/ 12% Nylon

Protection: Arc Rating ATPV 12.2 calories/cm2

Colors: Khaki (KHB)*, Naw (NVB)*, Royal Blue (RBB)*

CNB5 - Women's (Reg.) XS-2XL. (Long) XS-2XL. From \$159.99

A B @ E A

Fabric: Flame-resistant, 6 oz. (205 g/m²) 93% Nomex® Aramid/5% Kevlar® Aramid/2% Other Fiber Protection: Arc Rating ATPV 5.6 calories/cm2


Colors: Navy (NVB)*, Royal Blue (RBB)*

*Delivery may take up to 4-6 weeks. Sizes vary by color. Visit bulwark.com for a complete size listing.

Please Note: Colors vary for each garment. Reference the two or three letter color code for available color(s).

SIZE CHARTS ON PAGE 68

ALL PRODUCT ON SPREAD | Made in U.S.A. or Imported



FRCClothingPlus.com | 61

ACCESSORIES







HMB2 - Men's One size. \$36.99

Sized to fit comfortably over head. Articulated face mask for varying degrees of coverage. Double-layer in face area. Extra long neck skirt. Soft and comfortable. Fit to wear under hard hat and in all HRC2 environments.

Fabric: Flame-resistant, 8.75 oz. (300 g/m²) 70% Modacrylic/

15% Lenzing/15% Rayon

Protection: Arc Rating ATPV 8.1 calories/cm²

Color: Navy (NV)

ALL PRODUCT ON PAGE | Made in U.S.A. or Imported

B | KNIT BALACLAVA 🚕 🗩 🗓



B | HNB2 NA

HNB2 - Men's One size. \$37.99

Double-layer in face area. Extra long neck skirt. Soft and comfortable.

Fabric: Flame-resistant, 8.4 oz. (284 g/m²) Nomex® Knit Protection: Arc Rating ATPV 26.0 calories/cm²

Color: Natural (NA)

(NAR)



C | HARD HAT ACCESSORIES 🚕 😉 🗩



Fabric: Flame-resistant

Shell: 4.5 oz. (150 g/m2) 93% Nomex® aramid/5% Kevlar®/2% Other fiber Insulation package: 10 oz. (340 g/m²)

Lining: 100% Meta-aramid

Insulation: 90% Aramid/10% FR Rayon Protection: Arc Rating E_{st} 37.0 calories/cm²

HARD HAT LINER (1)

HARD HAT FACE MASK

HNL2 - Men's One size. \$37.99

Hook-and-loop chin strap. Secures in place. button holes for four-point suspension.

Color: Navy (NV) (NVR)

Attaches to HN L2, sold separately.

HNM2 - Men's One size. \$26.99

Color: Naw (NV)





D | BANDANA & HEAD TIE 📤 🕒 🗐

HLB6 - Men's One size. \$13.99

Sized to fit under hard hat. Packaged one bandana and one head tie.

Fabric: Flame-resistant, 5.5 oz. (185 g/m²) Twill,

88% Cotton/12% Nylon

Protection: Arc Rating ATPV 6.9 calories/cm²

Color: Light Denim (LD) Country of Origin: Imported

HEB6 - Men's One size. \$13.99

Fabric: Flame-resistant, 5.25 oz. 100% Cotton Protection: Arc Rating ATPV 5.5 calories/cm²

Color: Camo (CM) Made in U.S.A. or Imported

E | KNIT CAP 📤 🗩 🗓

Double layers. Comfortable. Fit to wear under hard hat.

HMC2 - Men's One size. \$25.99

Fabric: Flame-resistant, 100% Modacrylic Knit Protection: Arc Rating E_{xt} 28.3 calories/cm²

Color: Black (BK) Ď (BKR)

Made in U.S.A.

F | FLEECE BEANIE 🚥 🚕 🍥



HMC4 - Men's One size. \$38.99

Two-ply. Double-brushed fleece for comfort and warmth. Fit to wear under hard hat.

Fabric: Flame-resistant, 12 oz. (405 g/m²) 70% Modacrylic/30% Rayon

Protection: Arc Rating E_{st}, 11.5 calories/cm²

Color: Navy (NV) Made in U.S.A.

FRCClothingPlus.com | 63 866-372-8834



40 CAL/CM²

Fabric: Outershell - Flame-resistant, 9 oz. (305 g/m²) Twill, 88% Cotton/12% Nylon

Liner - 9 az. (305 g/m²) Twill, 88% Cotton/12% Nylon Protection: Arc Rating ATPV 40.0 calories/cm2

Color: Royal Blue (RBB)

HOOD WITH PROTECTIVE SHIELD 📤 回



HLC4 - One size. \$216.99

Includes ANSI 287-1 faceshield. Shoulder notches for stability.

Fits standard hard hat



BLC4 - (Reg) S-5XL. From \$266.99

Quick disconnect straps. Hook-and-loop fly closure. Covered leg zipper with gussett.

SHORT COAT A m



CLC4 - [Reg] S-3XL. From \$243.99

Thigh length. Two-piece raglan sleeve. Double-layer stand-up collar.

REPLACEABLE FACE SHIELD (not shown)

FAC4BNB - One size. \$136.99

Hook-and-loop tabs placed on inside of detachable face shield for easy removal. Replaceable shield for HLC4RBB.

Fabric: N/A

Protection: ANSI 287-1

DUFFLE BAG (



DUF4RBB - One size. \$45.99

Fabric: 100% Waterproof Nylon

Protection: N/A Color: Royal Blue (RBB)

40 CAL/CM2 KIT (m)



KLT4RBB - No size available. From \$904.99

Kit contains hood with protective shield (HLCA), hard hat and safety glasses, bib (BLCA), short coat (CLC4) and duffle bag (DUF4). Please note that duffle bag is not flame-resistant.

ALLOW 10-12 WEEK FOR DELIVERY OF ITEMS ON THIS PAGE.

ALL PRODUCT ON PAGE | Made in U.S.A.





DECORATE IT. MODIFY IT.

CUSTOMIZE IT.

Through our Imagine It® program, we have taken the capability of creating customized uniform items and apparel to a new level. Visualize it... create it... and view it all on-line. We'll produce it. This unique program allows you to select stock apparel and modify or customize them to create uniforms that cater directly to your customer's needs. This ability, made fun and easy by our on-line interface program, allows many customers to purchase similar items while maintaining individual expression.



A | REFLECTIVE TRIM Call for Price

There are several color options and widths of reflective trims that can be selected for attachment to your Bulwark® garments. They are primarily divided into two categories: FR – Industrial Wash and FR – Home Wash. Many stripe styles are available in one or more of these categories, however prices will vary depending on the trim and location selected. Please be sure to select the correct trim.

B | EMBROIDERY & EMBLEMS Call for Price

Customize your Bulwark® garments by adding a company logo or employee name and department with direct embroidery or emblems.

Thread colors are from A & E Signature threads. They have excellent color retention with a high luster finish, are strong to prevent breakage, and have very good abrasion resistance that will stand up to the rigors of industrial washing.

All embroidery ordered through the Imagine It^{∞} on-line interface will be embroidered using A & E Signature thread.

C | CUSTOMIZATION OPTIONS FOR EXTERIOR HRC RATINGS Call for Price

Bulwark® offers the option to embroider HRC ratings on the exterior of your garment. Placement is below the Bulwark® triangle on the left sleeve.

Shirt Code: EL_BBT_ELA956

Pant Code: EL ARP ELA956



COLOR: BLUE

Shirt Code: EL_BBT_ELA889

Pant Code: EL_ARP_ELA889

HRC2

COLOR: YELLOW

Shirt Code: EL_BBT_ELA955

Pant Code: EL_ARP_ELA955

HRC3

COLOR: ORANGE

Shirt Code: EL BBT ELA957

Pant Code: EL_ARP_ELA957

HRC4

COLOR: RED

TOOLS | TO GET YOU STARTED

ON-LINE CUSTOMIZATION



For a step-by-step tutorial on our fantastic customization capability, log in to www.vfimagewear.com and select "Imagine It*." You can watch a guided demonstration of the endless customization options available at your fingertips through Imagine It!

IMAGINE IT® CATALOG





You can also request the printed companion piece to the on-line Imagine It® interface. The printed piece shows you a quick glance of over 100 embroidery thread color options. There is also a section outlining placement of Reflective Trim along with the different color options and sizes available.

WOMEN'S FIT CHARTS

LFC-01 — WOMEN'S MEASUREMENTS | SEU3

	Х	S	Ş	3		М		L		XL	Х	XL	3	XL	4	XL
Size	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	311/2-32	321/2-33	331/2-34	341/2-35	351/2-36	361/2-371/2	38-39	391/2-401/2	411/2-421/2	431/2-441/2	451/2-461/2	471/2-481/2	491/2-501/2	511/2-521/2	531/2-541/2	551/2-561/2
Waist	231/2-24	241/2-25	251/2-26	261/2-27	271/2-28	281/2-291/2	30-31	311/2-321/2	33-341/2	35-361/2	37-381/2	39-401/2	41-421/2	43-441/2	45-461/2	47-481/2
Hip	33-331/2	34-341/2	35-351/2	36-361/2	37-371/2	38-39	391/2-401/2	41-42	421/2-44	441/2-46	461/2-48	481/2-50	501/2-52	521/2-54	541/2-56	561/2-58

HEIGHT Petite: 4'11" - 5'3" Regular: 5'31/2" - 5'7" Tall: 5'71/2" - 5'11"

LFC-02 — WOMEN'S MEASUREMENTS | SEG5, SEL3, SLG9, SLU3, SMU3

		Х	S	,	S	М			L	Х	L	XX	(L	3)	(L	4)	KL
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	32-33	33-34	34-35	35-36	36-37	37-38	38-391/2	391/2-41	41-421/2	421/2-441/2	441/2-461/2	461/2-481/2	481/2-501/2	501/2-521/2	521/2-541/2	541/2-561/2	561/2-581/2
Waist	25-26	26-27	27-28	28-29	29-30	30-31	31-321/2	321/2-34	34-351/2	351/2-371/2	371/2-391/2	391/2-411/2	411/2-431/2	431/2-451/2	451/2-471/2	471/2-491/2	491/2-511/2
Hip	341/2-351/2	351/2-361/2	361/2-371/2	371/2-381/2	381/2-391/2	391/2-401/2	401/2-42	42-431/2	431/2-45	45-47	47-49	49-51	51-53	53-55	55-57	57-59	59-61

HEIGHT Petite: 4'11" - 5'3" Regular: 5'31/2" - 5'7" Tall: 5'71/2" - 5'11"

LFC-05 — WOMEN'S MEASUREMENTS | CLB7, CNB5, CNB3

		Х	S	S	;	N	1	l		Х	L	XX	(L	3)	(L	4XI	L
Size	0	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30	32
Bust	303/4-32	321/4-331/2	333/4-35	351/4-36 1/2	363/4-38	381/4-39 1/2	393/4-41	411/4-42 1/2	423/4-44	441/4-451/2	453/4-47	471/4-481/2	483/4-50	501/4-511/2	513/4-53	531/4-541/2	543/4-56
Hip	313/4-33	331/4-341/2	343/4-36	361/4-37 1/2	373/4-39	391/4-40 1/2	403/4-42	421/4-43 1/2	433/4-45	451/4-461/2	463/4-48	481/4-491/2	493/4-51	511/4-521/2	523/4-54	541/4-551/2	553/4-57

HEIGHT Petite: 4"11" - 5"3" Regular: 5"3 1/2" - 5"7" Tall: 5"7 1/2" - 5"11"

PANT SIZE CHART D | PEJ3, PEJW, PEW3, PLW3, PMJ5, PMU3, PMW3, PNW3

	4	6	8	10	12	14	16	18	20	22	24	
34UNF	A		A									

MEN'S FIT CHARTS

MFC-03 — MEN'S MEASUREMENTS

MPU2, MPU4, SEC4, SEH6, SMH2, SMH6, SMK2, SMZ6, SNK2, SNK8, SNL2, SNL8

Size	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	35-38	38-41	41-45	45-491/2	491/2-54	54-581/2	581/2-63	63-671/2

MFC-09 — MEN'S MEASUREMENTS

SAW2, SEW2, SLS2, SLW2, SMW4

Size		S	М	L	XL	2XL	3XL	4XL	5XL
Neck		13%-141/2	14%-151/2	15%-161/2	1 <i>6</i> %-17½	17%-181/2	18%-191/2	19%-201/2	20%-211/2
Chest		341/2-38	381/2-42	421/2-46	461/2-50	501/2-53	531/2-56	561/2-59	591/2-62
Waist Ma	Х	36	40	44	48	51½	55	581/2	62
a) =	RG	33	331/2	34	341/2	35	35	35	35
Sleeve Length	LN	35 ½	351/2	36	36	36	36	36	36
0, _	XLN	37	37	37	37	37	37	37	37
	RG				Regular Ba	ock Length			
gt	LN			Reg	ular Back Le	ength plus 1	V ₂ "		
Back Length	XLN			Re	gular Back I	Length plus 4	4"		
Вас	SS				Regular Ba	ock Length			
	SSL			Re	gular Back I	Length plus 4	4"		

MFC-10 — MEN'S MEASUREMENTS

SEG2, SEG6, SES2, SEU2, SLG8, SLU2, SLU6, SLU8, SMU2, SMU4, SND2, SND6, SNS2

Size		S	М	L	XL	2XL	3XL	4XL	5XL
Neck		13%-141/2	14%-151/2	15%-161/2	16%-171/2	17%-181/2	18%-191/2	19%-201/2	20%-211/2
Chest		321/2-36	361/2-40	401/2-44	441/2-48	481/2-52	521/2-56	561/2-60	601/2-64
Waist	Max	351/4	393/4	441/4	483/4	523/4	563/4	603/4	643/4
4	RG	33	331/2	34	341/2	35	35	35	35
Sleeve Length	LN	351/2	351/2	36	36	36	36	36	36
Sleeve	XLN	37	37	37	37	37	37	37	37
	RG				Regular Ba	ick Length			
gth	LN			Reg	gular Back Le	ength plus 1	1/2"		
Back Length	XLN			R	egular Back I	ength plus	4"		
Вас	SS				Regular Ba	ick Length			
	SSL			R	egular Back l	ength plus	4"		

MFC-12 — MEN'S MEASUREMENTS

JET2, JEW2, JLH4, KEL2, KEW2, KNL2, LML2

Alpha Size	Х	S		3	١	1	ı		Х	L	X	ΚL	3)	(L	4	(L	50	(L
Chest Size	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64	66
Chest Max	32"	34"	36"	38"	40"	42"	44"	46"	48"	50"	52"	54"	56"	58"	60"	62"	64"	66"

NOTE: If waist size is larger than chest size, use waist measurement as size.

Short: 5'3" - 5'7" Regular: 5'7" - 5'11" Long: 5'11" - 6'3" XLong: 6'3" - 6'7"

NOTE: Stock sizes may vary by color/item. Sizes are based on actual body measurements in inches. Styles and sizes are subject to change or withdraw without notice.

FRCClothingPlus.com | 69 866-372-8834

MEN'S FIT CHARTS

MFC-13 — MEN'S MEASUREMENTS | SEK2, SEL2, SET2, SET8

Alpha Size	XXS	XS	S	М	L	XL	XXL	3XL	4XL	5XL	6XL	7XL	8XL
Chest	341/2-36	361/2-38	381/2-40	401/2-42	421/2-44	441/2-46	461/2-48	481/2-50	501/2-52	521/2-54	541/2-56	561/2-58	581/2-60

MFC-14 — MEN'S MEASUREMENTS | BLF8, BNF8, CEB2, CEC2, CED2, CEH2, CEW2, CLB2, CLB6, CLBC, CLBT, CLD4, CMD4, CMD6, CNB2, CNB6, CNBT, CNC2, JNT2

Alpha Size	Х	S	,	3		М	L		х	L	XX	L	3)	IL.	43	L	5)	Œ
Numeric Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64
Chest Size	281/2-30	301/2-32	321/2-34	341/2-36	361/2-38	381/2-40	401/2-42	421/2-44	441/2-46	461/2-48	481/2-50	501/2-52	521/2-54	541/2-56	561/2-58	581/2-60	601/2-62	621/2-64
Waist Max.	301/2	321/2	341/2	361/2	381/2	401/2	421/2	441/2	461/2	481/2	501/2	521/2	541/2	561/2	581/2	601/2	621/2	641/2

Short: 5'3" - 5'7" Regular: 5'7" - 5'11" Long: 5'11" - 6'3" XLong: 6'3" - 6'5"

MFC-15 — MEN'S MEASUREMENTS | BLC8, BLCT, BLN4, BNN2, BNNT, CLC8, CNN2

Alpha Size) х	S	,	3	-	М)	L	XX	(L	3)	XL	4	XL	5.	XL
Numeric Size	30	32	34	36	38	40	42	44	46	48	50	52	54	56	58	60	62	64
Chest Size	281/2-30	301/2-32	321/2-34	341/2-36	361/2-38	381/2-40	401/2-42	421/2-44	441/2-46	461/2-48	481/2-50	501/2-52	521/2-54	541/2-56	561/2-58	581/2-60	601/2-62	621/2-64
Waist Max.	281/2	301/2	321/2	341/2	361/2	381/2	401/2	421/2	441/2	461/2	481/2	501/2	521/2	541/2	561/2	581/2	601/2	621/2

Short: 5'3" - 5'7" Regular: 5'7" - 5'11" Long: 5'11" - 6'3" XLong: 6'3" - 6'5"

MFC-16 — MEN'S MEASUREMENTS | KDE4, KEE2

Alpha Size	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest	331/2-36	361/2-39	391/2-42	421/2-45	451/2-48	481/2-51	511/2-54	541/2-57	571/2-60

MFC-17 — MEN'S MEASUREMENTS | JLB8, JLC4, JLF6, JLJ8, JLPC, JLPT, JLP8, JLR8, JNJ8, JNJT, JNP2, JNPT, LLS2, LML6, LMS6, LNL2, LNS2

Alpha Size	XS	S	М	L	XL	XXL	3XL	4XL	5XL
Chest Max	34	36	40	44	48	50	52	54	56

NOTE: If waist size is larger than chest size, use waist measurement as size.

MEN'S FIT CHARTS

MFC-18 — MEN'S MEASUREMENTS | VMV2, VMV8

Alpha Size	М	XL	3XL	5XL	7XL
Chest Max	40	48	52	56	60

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-42 — MEN'S MEASUREMENTS | BXN2, JXN2

Alpha Size	XS	S	М	L	XL	XXL	3XL	4XL	5XL	6XL
Chest Max	35	38	41	45	49	53	57	61	641/2	681/2

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-51 — MEN'S MEASUREMENTS | BLC4, BXN4

Alpha Size	S	М	L	XL	XXL	3XL	4XL	5XL
Chest Max	33	36	39	42	45	48	51	54

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-52 — MEN'S MEASUREMENTS | CLC4

Alpha Size	S	М	L	XL	XXL	3XL	4XL	5XL
Chest Max	39	42	45	48	51	54	57	60

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-53 — MEN'S MEASUREMENTS | JXN4

Alpha Size	S	М	L	XL	XXL	3XL	4XL	5XL
Chest Max	35	39	43	47	51	55	59	63

NOTE: If waist size is larger than chest size, use waist measurement as size.

MFC-46 - MEN'S MEASUREMENTS | SMW4

Size		S	М	L	XL	2XL	3XL	4XL	5XL			
Neck		13%-141/2	14%-151/2	15%-161/2	16%-171/2	17%-181/2	181/-191/2	19%-201/2	201/4-211/2			
Chest		341/2-38	381/2-42	421/2-46	461/2-50	501/2-53	531/2-56	561/2-59	591/2-62			
Waist Ma	х	36	40	44	48	51½	55	58½	62			
	RG	341/4	343/4	351/4	353/4	361/4	363/4	371/4	373/4			
Sleeve Length	LN	353/4	361/4	363/4	371/4	373/4	381/4	383/4	391/4			
S	XLN	371/4	373/4	381/4	383/4	391/4	393/4	401/4	403/4			
	RG				Regular Ba							
gt.	LN			Reg	ular Back Le	ngth plus 1	1/2"					
Back Length	XLN		Regular Back Length plus 4"									
Bac	SS		Regular Back Length									
	SSL	Regular Back Length plus 4"										

SIZE CHARTS - PANTS |

PANT SIZE CHART A (SPECIFY WAIST & INSEAM) | PEJ2, PEJ8, PLJ8, PNJ8

WAIST 28	30	32	34	36	38	40	42	44	46	48	50
37 UNF 🔺	A	A .		A	A .	A .	A	A	A .	A .	A

PANT SIZE CHART B (SPECIFY WAIST & INSEAM) | PEW2, PLW2, PMU2, PMW2, PNW2

WAIST	28	29	30	31	32	33	36	38	40	42	44	46	48	50
36 UNF		A	7/						A	A	A	A		A
37 UNF				A				A /						

PANT SIZE CHART G (SPECIFY WAIST & INSEAM) | PAW2

WAIST	28	30	32	34	36	38	40	42	44
36 UNF		- 52					A	A	•
37 UNF		A	A	A	A	A		9	

PANT SIZE CHART H (SPECIFY WAIST & INSEAM) | PEJ4, PEJ6, PEJM

37 UNF	A	A	A .	A	A	A	A	A	A	A .	A	A	A	A	_
WAIST	28	30	31	32	33	34	35	36	38	40	42	44	46	48	50

HOW TO MEASURE

FOR A CORRECT FIT:


- · Please refer to size charts.
- · Measurements refer to body and not garment measurements.
- Bulwark® garments have a slightly oversized fit for added comfort and protection.
- · Always confirm a proper fit prior to the first wash. We are unable to accept washed garment returns.
- · Women's sizes and fit available in indicated shirts, pants and coveralls.
- If you need assistance, call our Customer Care Experts: 1-800-223-3372 and Canada: 1-800-667-0700. For Distributors, call 1-800-733-5271.







- 1. Height: Stand straight against a wall without your shoes. Make a mark level with the top of your head. Measure from this point down to the floor.
- 2. Neck: Measure around the base of the neck where a collared shirt would fit or measure a collarband on a shirt that fits you well. Lay the collarband flat. Measure from the beginning of the button hole to the center of the button.
- 3. Chest: Measure well up under your arms, across your shoulder blades and over the fullest part of your chest. Hold the tape firmly, but not tightly. Be sure the tape is level and straight across your back. Stand naturally.
- 4. Sleeve: Bend the elbow slightly. Start at the center back of the neck and measure across the shoulder to the elbow and down to the wrist bone.
- 5. Waist: First, remove your belt. Then, measure over shirt (not over pants) at the position you normally wear your pants. Hold the tape firmly but not tightly.
- 6. Hips: Stand with your heels together. Measure around the fullest part of the hips, holding tape measure level.
- 7. Inseam: Use similar style pants that fit you well. Lay them flat with the front and back creases smooth. Measure along the inside seam of one leg from the bottom of hem to the crotch.



ADDITIONAL INFORMATION



Bulwark® garments are designed for continuous wear. They meet applicable performance standard requirements, such as ASTM F2302, National Fire Protection Association (NFPA®) Standard 70E, Standard for Electrical Safety in the Workplace, 2012 Edition, ASTM Standard F1506-10, Flame-Resistant Materials for Wearing Apparel for Use by Electrical Workers Exposed to Momentary Electric Arc and Related Thermal Hazards. Refer to individual garment labels to confirm compliance with specific performance standards. Because these fabrics are flame-resistant, they are acceptable under the Occupational Safety & Health Administration (OSHA) Final Rule 1910.269. Final Rule on Electrical Protective Equipment. For complete information on these products, as well as laundering instructions, please visit bulwark.com

PRODUCT SPECIFICATIONS

All trademark and logos shown in this catalog are for the product illustration only and are not available to a customer, nor are they an endorsement by or for any person or other entity. At time of order, please provide VF Imagewear®, Inc. (VFIW) with the appropriate proof of authorization for your use of trademarks, copyrights, patents and other intellectual property.

Bulwark® garments are not intended for fire entry, structural or wildlands fire fighting activities and provide no personal protection from chemical exposures. They should be removed at once if fouled with flammable material. To prevent generation of potentially hazardous static electricity, do not don or remove any garments in a hazardous area.

Bulwark® garments are not intended for personal, family or household use as defined in the Manguson-Moss Warranty Act, 15 U.S.C. 2301-2312. For latest information, visit our website at www.bulwark.com.

ARC RATINGS

Arc ratings are supplied to Bulwark® based on testing by our fabric suppliers or from our own testing. Arc ratings are a statistical calculation of the 50% probability that a second degree burn will result from an electric arc exposure. As with all tests, some level of variation in ATPV test results is normal and expected among fabrics of identical fiber content and nominal weight. In order to assist end users with their hazard analysis by providing the most conservative ATPV, Bulwark® will publish the lowest arc rating for that fabric weight in our catalog and on our garment label.

Bulwark® (a division of VF Imagewear®, Inc.), CoolTouch® 2, EXCEL FR® and EXCEL FR® ComforTouch® are registered trademarks of Bulwark® Protective Apparel. Nomex®, Kevlar® and Sontara® are registered trademarks of E.I. duPont de Nemours and Company. Ten Cate Oasis™ and TECASAFE® PLUS are trademarks of TenCate Protect by. Lenzing FR® is a registered trademark of Lenzing Aktiengesellschaft. Molten Metal® is a registered trademark of Revlon Consumer Products Corporation. NFPA® is a registered trademark of National Fire Protection Association. UL® is a registered trademark of Underwriters Laboratories.

PRODUCT INDEX

BIB OVERALLS	CLB7RBB61	40 CAL KIT	JLPCNV45	BASE LAYERS	PNW2NV32	SLG8NK 19	SMP8NV27
BLC8NV35	CLBCOR 37	BLC4RBB 64	JLPTRB45	MPU2KH 29	PNW2RB32	SLG8HN 19	SMT4NV22
BLCTNV35	CLBCNV37	CLC4RBB 64	JLR8NV47	MPU4GY29	PNW3NVB60	SLG8RK 19	SMU2KH 18
BLF8BD35	CLBTRB37	DUF4RBB 64	JLR8RB47	MPU8GY29	PNW3RBB60	SLG9RNB 57	SMU2LB18
BLF8NV35	CLC8NV37	FAC4BNB 64	JNJ8NV47			SLG9NKB 57	SMU2NV18
BLN4BD35	CLD4GY39	HLC4RBB 64	JNJTRB47	PANTS & JEANS	SHIRTS	SLG9HNB 57	SMU3KHB56
BNF8RB35	CLD4KH39	KLT4RBB 64	JNP2NV45	PAW2NVB 32	SAW2CHB21	SLG9RKB 57	SMU3LB56
BNN2NV35	CLD4NV39		JNP2RB45	PEJ2DD31	SEG2LD19	SLS2LB 21	SMU3NVB 56
BNNTRB35	CLD4RB39	ACCESSORIES	JNPTRB 45	PEJ2NV33	SEG5KHB57	SLU2KH 18	SMU4GY16
	CLD4RD39	HEB6CM 63	JNT2NV43	PEJ3DW58	SEG5LBB 57	SLU2LB 18	SMU4KH16
COVERALLS	CMD4GY38	HLB6LD 63		PEJ4DW31	SEG5NVB57	SLU2NV 18	SMU4LB16
CEB2GY36	CMD4KH38	HLH2BD 48	DISPOSABLES	PEJ6SW31	SEG6KH19	SLU2RB 18	SMW4HV20
CEB2KH36	CMD4LB38	HLH2NV 45	KDE4SB41	PEJ8DW31	SEG6LB19	SLU2SY 18	SND2GB16
CEB2NV36	CMD4NV38	HLH2RB 45	KEE2SB41	PEJ8SW31	SEG6NV19	SLU3KH 56	SND2NV16
CEB2RB36	CMD4RD38	HLH6BN 42		PEJMSD31	SEK2NV22	SLU3LBB 56	SND2RB16
CEB2RD36	CMD6KH39	HMB2NV 62	COVERINGS	PEJWS D 58	SEL2GY25	SLU3NVB 56	SND2TN16
CEC2KH40	CMD6NV39	HMC2BK 63	BXN2YE54	PEW2CH32	SEL2KH25	SLU3RBB 56	SND6RB16
CEC2NV 40	CNB2NV36	HMC4NV 63	BXN4YE54	PEW2KH 32	SEL2LB25	SLU3SYB 56	SNK2KN27
CEC20R40	CNB2RB36	HNB2NA 62	JXN2YE54	PEW2NV32	SEL2NV25	SLU6CY16	SNK2NK27
CEC2RB40	CNB2TN36	HNH2NV 45	JXN4YE54	PEW2VG32	SEL20R25	SLU8GY 16	SNK8NK27
CECTNV 41	CNB3NV61	HNH2RB 45	KEL2LB52	PEW3KHB60	SEL3NV58	SLU8KH 16	SNK8NT27
CECTRB41	CNB30RB 61	HNL2NV 62	KEW2VG52	PEW3NV60	SEL4BG25	SLU8LB 16	SNL2TN 25
CED2KH39	CNB3RBB 61	HNM2NV 62	KLL6NV53	PLJ8BD33	SEL4NK25	SLU8NV 16	SNL8TN 25
CED2NV39	CNB3TNB 61	VMV2YE 55	KNL2RB52	PLJ8NV33	SES2RB16	SLU80R 16	SNS2RB16
CED20R39	CNB5NVB 61	VMV8HV 55	KNL6RB53	PLJ80L33	SES2TN16	SLW2KH 21	SNS2TN 16
CED2RB39	CNB5RBB 61			PLW2NV32	SET2GY22	SLW2LB 21	
CEH2NV40	CNB6NV36	OUTERWEAR	JACKET LINERS	PLW3KHB60	SET8GY22	SLW2NV 21	SWEATSHIRTS
CEW2VG40	CNB60R36	JET2NV 43	LLS2BD48	PLW3NVB 60	SET8NV22	SMK2HV 23	SEC4NV51
CLB2KH36	CNB6RB36	JEW2NV 43	LML2GY43	PMJ5DD58	SET80R22	SML2GY 25	SEH2NV51
CLB2NV36	CNBTRB37	JLB8BD 47	LML6NV47	PMU2NV33	SEU2WB16	SML2KH 25	SEH6GY50
CLB2RB36	CNBTRD37	JLC4BD 48	LMS6NV47	PMU3NVB60	SEU3WBB57	SML2NV 25	SEH6NV50
CLB6KH36	CNC2NV 40	JLF6BK 42	LNL2NV 47	PMW2NV32	SEW2KH 21	SMP2GY 27	SEH60R50
CLB6NV36	CNC2RB40	JLF6NV 42	LNS2NV 47	PMW3NV60	SEW2LB21	SMP2KH 27	SMH2NV51
CLB6RB36	CNC2TN 40	JLH4BD 48		PMW4KH 32	SEW2NV21	SMP2NV 27	SMH6NV51
CLB7KHB61	CNN2NV37	JLJ8NV 47		PMW4NV32	SEW2SY21	SMP8GY 27	SMZ6NV50
CLB7NVB61		JLP8NV 45		PNJ8RB33	SLG8RN 19	SMP8KH 27	

FRCClothingPlus.com 75

distributed by
FRCClothingPlus.com
866-372-8834

